

## PART 1

<b>HACKFORD ROAD SW9 (East Side)</b>			
No 87			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204272	5023	TQ 3076 & 3176 12 & 13/435	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19. Three-storey, 2-window end of terrace house. Stucco with parapet. Moulded architraves to sash windows. Half-glazed 4-panel door with blocked fanlight. GLC blue plaque: VINCENT VAN GOGH 1853-1890 PAINTER LIVED HERE 1873-1874. Listed for association with Van Gogh. Listing NGR: TQ3099976745</p>

## PART 1

<b>HANOVER GARDENS SE11 (East Side)</b>			
No 38			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204278	5025	TQ 3177 8/440	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19. Three storeys and basement, 2 windows. Stock brick with plain parapet. First floor band. Sash windows, mostly with margin lights, under gauged brick arches, segmental on ground floor. Five steps to door in stuccoed entablature surround. Listing NGR: TQ3106977620</p>

## PART 1

<b>HANOVER GARDENS SE11 (East Side)</b>			
Nos 39 and 40			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204279	5023	TQ 3177 8/441	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19. Each 2 storeys, attic and basement, 2 windows. Stock brick, painted basements to ground floor band. Stuccoed first floor sill band, frieze, cornice and blocking course. Slated mansard with dormers. Sash windows mostly with margin lights (some replaced with glazing bars) under gauged brick arches, segmental on ground floor. Four steps, with wrought iron handrail, to door of 2 long panels in stuccoed entablature surround. Cast iron spearhead area railings.</p> <p>Listing NGR: TQ3107277616</p>

## PART 1

<b>HANOVER GARDENS SE11 (East Side)</b>		
Nos 41, 42 and 43		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204280	5023	TQ 3177 8/442
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19. Each 3 storeys and basement, 2 windows. Stock brick with painted basement. Stucco bands, frieze and cornice at second floor sills and top frieze cornice and blocking course. Sash windows, mostly with margin lights, under gauged brick arches, segmental on ground floor. Five steps, with wrought iron handrails, to doors of 2 or 4 panels in stuccoed entablature surrounds. Cast iron spearhead area railings.</p> <p>Listing NGR: TQ3108277598</p>

## PART 1

<b>HANOVER GARDENS SE11 (East Side)</b>			
Nos 44 to 48 (consec)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204281	5023	TQ 3177 8/443	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19. Each 2 storeys, attic and basement, 2 windows. Stock brick, painted basements to ground floor band. Stuccoed first floor sill band, frieze, cornice and blocking course. Slated mansard with dormers. Sash windows mostly with margin lights (some replaced with glazing bars) under gauged brick arches, segmental on ground floor. Four steps, with wrought iron handrail, to door of 2 long panels in stuccoed entablature surround. Cast iron spearhead area railings. No 48 is 3 windows wide and has lost its cornice.</p> <p>Listing NGR: TQ3108277572</p>

## PART 1

<b>HANOVER GARDENS SE11 (East Side)</b>			
Nos 49 to 54 (consec)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204282	5023	TQ 3177 8/444	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19 terrace with convex curved end. Each 2 storeys, attic and basement, 2 windows (except No 49 3 windows), stock brick. Stucco bands at ground and first floor sills; frieze, cornice and blocking course (missing from Nos 49-52). Nos 49 and 50 have mansards; all have dormers, mostly altered. Sash windows, mostly with margin lights, under gauged brick arches, segmental on ground floor. Four steps, with wrought iron handrail, to doors of 2 long panels in stuccoed entablature surround. Cast iron spearhead area railings. Included for group value. Listing NGR: TQ3109477558</p>

## PART 1

<b>HANOVER GARDENS SE11 (North Side)</b>		
Nos 28 to 37 (consec)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204277	5023	TQ 3177 8/439
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19 terrace, the 4 central houses projecting slightly and the outer 3 at either side stepped back. Each 3 storeys and basement, 2 windows. Stock brick with painted basement. Stucco bands, frieze and cornice at second floor sills and top frieze, cornice and blocking course. Sash windows, mostly with margin lights, under gauged brick arches, segmental on ground floor. Five steps, with wrought iron handrails, to doors of 2 or 4 panels in stuccoed entablature surrounds. Cast iron spearhead area railings.</p> <p>Listing NGR: TQ3104177621</p>

## PART 1

<b>HANOVER GARDENS SE11 (West Side)</b>		
Nos 2 to 7 (consec)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204274	5023	TQ 3177 8/436
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 terrace, each 3 storeys and basement, 2 windows. Stock brick. Stuccoed ground floor with dentil cornices on console brackets over panelled pilasters and with shell antefixae. Stuccoed top frieze, cornice and blocking course. No 2 has altered ground floor. Sash windows with glazing bars in moulded architraves, with cornices over on first floor. Four-panel doors with cornice head and rectangular fanlight with margin lights. No 7 is curved round at right angle. Cast iron area railings. Included for group value. Listing NGR: TQ3108277531</p>

## PART 1

<b>HANOVER GARDENS SE11 (West Side)</b>			
No 20			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204275	5023	TQ 3177 8/437	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19. Three storeys and basement, 2 windows. Stock brick with parapet. Second floor probably an addition. Gauged brick window arches, segmental on ground floor and basement. Windows missing. Ground floor band. Five steps to 4-panel door set back behind entablature surround. Included for group value. Listing NGR: TQ3103877576</p>

## PART 1

<b>HANOVER GARDENS SE11 (West Side)</b>			
Nos 21 to 27 (consec)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204276	5023	TQ 3177 8/438	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19. Each 2 storeys, attic and basement, 2 windows. Stock brick, painted basements to ground floor band. Stuccoed first floor sill band, frieze, cornice and blocking course. Slated mansard with dormers. Sash windows mostly with margin lights (some replaced with glazing bars) under gauged brick arches, segmental on ground floor. Four steps, with wrought iron handrail, to door of 2 long panels in stuccoed entablature surround. Cast iron spearhead area railings. No 26 set back. Listing NGR: TQ3101877597</p>

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>		
Nos 15 and 17		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204283	5023	TQ 3077 7/446
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 pair, each 2 storeys and basement, 2 windows. Stock brick with parapet; stuccoed basement and impost band to elliptical arched ground floor openings. Gauged brick arches, flat on first floor, to door and windows. No 15 has sashes, No 17 later casements. Six steps to doors of 4 or 6 panels with engaged fluted columns, cornice head and wide fanlight, No 17 patterned. Wrought iron handrail and area railing with spearhead standards. No 17 has slated mansard with later dormers. Included for group value. Listing NGR: TQ3059077987</p>

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>		
Nos 19 and 21		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204284	5023	TQ 3077 7/447
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 pair, each 2 storeys and basement, 2 windows, the outer in slightly set back outer entrance bay. Stock brick with stuccoed basement, outer impost band, frieze, cornice and blocking course raised to slight peak in centre. Recess on axis. Gauged brick window arches, round on first floor in round-arched recesses. Six-panel doors, with fluted engaged columns, cornice head and patterned. radial fanlight, up 5 steps. Tall cast iron hand and area railings. Listing NGR: TQ3060177979</p>

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>		
No 23		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204285	5023	TQ 3077 7/448
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
Early-mid C19 small stuccoed house of 2 storeys, 3 windows, with canted right return. Stucco with incised lines, and parapet above cornice band. Moulded architraves to replaced sash windows. Four-panel door, with plain fanlight, in moulded architrave. Listing NGR: TQ3060577977

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>			
No 25			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204286	5023	TQ 3077 7/449	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
Early-mid C19 cottage, set at angle to road. Two storeys, 2 windows. Stock brick; stucco plinth, first floor band, frieze, cornice and blocking course. Gauged flat brick arches to replaced sash windows in stucco-lined reveals. Four-panel door with plain fanlight. Listing NGR: TQ3060977980

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>			
No 39			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204287	5023	TQ 3077 7/451	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 house of 3 storeys and basement, 2 windows. Stock brick with parapet partly rebuilt. Stucco basement. Gauged flat brick arches to sash windows with glazing bars and to long first floor casements with transoms and patterned cast iron balconies. Four steps to central door of 2 large panels, with receded head and patterned fanlight. Tall cast iron hand and area railings with leafy heads and urn finials.</p> <p>Listing NGR: TQ3071077907</p>

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>		
Nos 43 to 55 (odd)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204289	5023	TQ 3077 7/453
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 symmetrical composition with 2 houses at either side flanking middle 3 under pediment. Each 2 storeys, attic and basement, 2 windows. Stock brick with stucco frieze, cornice and blocking course at sides, plain cornice below pediment with lunette. Slate mansards with dormers. Basement and ground floor stuccoed; rustications forming voussoirs to round-arched ground floor openings. All windows sashes with glazing bars, first floor under flat gauged brick arches. Four steps to 5-panel doors with fluted quadrant pilasters, cornice head and patterned fanlight. Cast iron hand and area railings with spearhead standards and pine-cone finials. (No 45 has lost railings). Listing NGR: TQ3076077877</p>

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>			
Nos 57 and 59			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204290	5023	TQ 3077 7/454	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 pair, each 2 storeys and basement, 2 windows. Stock brick with stone-coped parapet. Gauged flat brick arches to sash windows, mostly with glazing bars. Six steps to 5-Panel doors with cornice head and patterned fanlight. Cast iron hand and area railings, spearhead standards. Included for group value.</p> <p>Listing NGR: TQ3078577862</p>

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>			
No 63			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204291	5023	TQ 3077 7/456	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 small house set at angle to road. Two storeys and basement, 2 windows. Stucco with incised lines. Angle pilasters to entablature with anthemion patterned frieze; blocking course. Sash windows mostly with margin lights, in moulded architraves; ground floor paterae friezes and console bracketed cornices over window and door of 2 long panels with rectangular fanlight up 6 curved steps with wrought iron handrail.</p> <p>Listing NGR: TQ307977857</p>

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>		
Forecourt piers and railings to No 63		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204292	5023	TQ 3077 7/457
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
Four tall square stuccoed piers at ends and centre. In left part a double cast iron railing with lotus standards above and small spearhead standards at half rail. Listing NGR: TQ3079977846

## PART 1

<b>HARLEYFORD ROAD SE11 (North Side)</b>			
St Marks' Church of England Junior Mixed and Infants Schools			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204293	5023	TQ 3077 7/458	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>1824 dated on main frieze. Symmetrical group of 2-storey, 3-window centre, with entrance links to one-storey side pavilions. Stock brick. Centre block has stone first floor sill band, entablature and blocking course raised in centre and inscribed: KENNINGTON SCHOOLS. Gauged brick arches to sash window with margin lights, round on ground floor in round-arched recesses, the centre window blocked. Stucco pilaster and entablature entrance links to 2-window pedimented side pavilions. Segmental gauged brick arches to sash windows with glazing bars in segment-headed recesses. Above centre arch an oval plaque, now illegible but bearing date of 1860. Listing NGR: TQ308227860</p>

## PART 1

<b>HARLEYFORD ROAD SE11 (South Side)</b>		
Nos 48 to 56 (even)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204294	5023	TQ 3077 7/459
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 terrace, each 3 storeys and basement, 2 windows. (No 48 is wider and No 56 is only one window wide, with entrance on left return). Stock brick; stucco frieze, cornice and blocking course with raised central panel inscribed: OLUM TERRACE 1826. Gauged brick arches to sash windows mostly with glazing bars, round on ground floor. Six steps, mostly with wrought iron handrails, to 6-panel doors, with cornice head and simple radial fanlight. No 56 has 3-bay left return. Listing NGR: TQ3063877924</p>

## PART 1

<b>HARLEYFORD ROAD SE11 (South Side)</b>		
Nos 58 and 60		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204295	5023	TQ 3077 7/460
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 pair, each 3 storeys and basement, 2 windows, in main block, plus outer entrance bay. Stock brick; stuccoed parapet coping and blocking course. Gauged flat brick arches to sash windows, mostly with glazing bars. Central oval plaque between first and second floors inscribed: THE PARADE 1821. Five steps to 6-panel door with cornice head and plain fanlight (No 60), in stuccoed bay; No 58 has 5 steps to flush door, with rectangular fanlight, set back behind stuccoed bay with quasi-classical detail.</p> <p>Listing NGR: TQ3065077911</p>

## PART 1

<b>HERCULES ROAD SE1 (North-West Side)</b>		
Nos 28, 30, 32 and 34		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204296	5023	TQ 3179 3/465
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	29/06/1973

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 terrace of cottages, each 2 storeys and basement, 2 windows. Stock brick, with stucco frieze, cornice, and blocking course, and stuccoed basements. Gauged brick flat arches to first floor windows. Rendered lintels with cornices to ground floor openings. Original long casements, with margin lights, opening to cast iron balconies with palmette patterns. Six steps, with wrought iron rails, to doors of 2, 1 and 2 panels in stuccoed recesses.</p> <p>Listing NGR: TQ3103379337</p>

## PART 1

<b>HERCULES ROAD SE1 (North-West Side)</b>		
Nos 36 and 38		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204297	5023	TQ 3179 3/466
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	29/06/1973

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 pair, each 3 storeys and basement, 2 windows. Stucco with cornice and blocking course, and first floor band. No 38 has incised lines. Recessed sash windows with glazing bars on second floor. First floor long casements, with margin lights, to cast iron palmette-patterned balconies. Similar balcony to ground floor sash windows of No 36 which also has 6-panel door in moulded architrave and cornice consoles. No 38 has small modern left entrance extension and 2 renewed ground floor sash windows. Listing NGR: TQ3102179316</p>

## PART 1

<b>HERNE HILL</b>			
Dorchester Court			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
490913		963/0/10150	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	09/02/2004	

## PART 2

<b>DESCRIPTION</b>
<p>Development of 96 flats in eight blocks around a central landscaped courtyard (q.v.). 1933-4 by Leslie H Kemp and Frederick E Tasker for Mr Morrell, a local builder and developer. Modern style. Red brick with concrete roof and floor slabs that extend as balconies to the principal rooms. Flat roofs. Four storeys. The four corner blocks are 'L'-shaped, with sixteen flats per block, arranged around a staircase set in the angle. The central blocks are simpler, with eight flats, two per floor, set either side of a central stair. Projecting bands of brickwork at sill level, exposed concrete floor slabs and horizontal glazing bars to the casement windows set up a strong horizontal rhythm, enhanced by projecting balconies in blocks, the uppermost with projecting flat concrete roofs. This horizontality is countered by full-height staircase windows that carry through the floors and which in the corner blocks are set back, and by soldier courses of brickwork above the windows. To Herne Hill and Dorchester Drive there are long balconies divided by set-back columns, while to the courtyard glazed screens with horizontal glazing bars provide some privacy to the balconies. Eight flats have had some window replacement in UPVC. Integral planting boxes at ground floor level either side of set-back doors, those to corner blocks set in the angle and all with projecting flat concrete hoods. Glazed timber double doors lead to small-paned glazed timber screens with single doors giving entrance to stairwells. The interiors retain glazed lifts with glazed double doors set in the stairwell. Modern cast iron balustrades in front of the windows. Other staircases are solid with brass handrails. Cast iron fronts to inset radiators with art deco swirls. Woodblock floors to public areas with timber doors to flats.</p> <p>Included as a complete and little altered development of modern-style flats, not denuded by the limited window replacement that has taken place, most prominently to the block containing nos.49-64. The ensemble remains exceptionally well detailed outside and within. Kemp and Tasker were best known as cinema architects, but they also designed the listed Dorchester House alongside, also for Morrell.</p>

## PART 1

<b>HERNE HILL</b>			
Fountain and six Lampposts at Dorchester Court			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
491102			963/0/10153
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	09/02/2004	

## PART 2

<b>DESCRIPTION</b>
<p>Six lampposts set in central gardens to blocks of flats, with central fountain. Cast iron lampposts set in brick and concrete plinths; concrete fountain. Symmetrically placed, three either side of rectangular garden plot with round fountain. Concrete plinths have curved ends and brick electricity chamber tucked underneath. Fountain is a series of concrete shells in art deco style, on concrete plinth and with large saucer bowl also of concrete. The lampposts and fountain are an integral part of the modern ensemble of 96 flats grouped around a central courtyard that comprises Dorchester Court.</p>

## PART 1

<b>HERNE HILL ROAD SE24 (East Side)</b>		
No 69 (St Saviour's Parish Hall)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204300	5023	TQ 3275 19/471
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		13/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early C20 building by Beresford Pite with 2-storey front and back ranges and a 7-bay, one-storey section at right-angles between. Front elevation of stock brick with dressings of red brick and a little Portland stone. Slated roof of moderate pitch raised in centre to ogee lead bell cupola. Tall brick chimneys at sides. Pilaster bay divisions (those in centre with quasi-Ionic capitals) support modified brick entablatures. Blank side bays. Paired first floor windows, in slightly recessed centre, over 3 elliptical arches with stone keys and impost band. Central keystone supports stone plaque inscribed: ST SAVIOUR'S PARISH HALL. Open entrance loggia behind the arcade has mosaic-lined walls with key-pattern borders.</p> <p>Listing NGR: TQ3223275495</p>

## PART 1

<b>HERNE HILL ROAD SE24 (East Side)</b>			
Church of St Saviour with St Andrew			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204298	5023	TQ 3275 19/467	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
DL	GV	13/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>The following building was de-listed on 8th December 1997. 1886-7 by A D Gough. Large church of random rubble in crazy-paving style with freestone dressings and slated roof. Nave with separately-roofed aisles, chancel with apsidal east end and side chapes; that on south has returned gable paired with a south transept gable. Tower of 5 steps has pyramidal fish scale slated roof with lucarnes. Circa 1200 transitional style with some round and some pointed arches, plenty of chevron mouldings and some plate tracery at east end. Round south-west angle turret to tower. Elaborate entrances with 3 orders of nook-shafts, those of main west portal in coloured marble.</p>

## PART 1

<b>HERNE HILL ROAD SE24 (East Side)</b>		
Forecourt wall, piers and gate to Church of St Saviour with St Andrew		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204299	5023	TQ 3275 19/468
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
DL	GV	13/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>The following building was de-listed on 8th December 1999. Low wall of crazy-paving style random rubble with peaked stone coping and gabled buttresses. Taller piers at west hold embattled wood gate.</p>

## PART 1

<b>HERNE HILL ROAD SE24 (West Side)</b>			
Carnegie Library			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204301	5023	TQ 3275 19/472	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>1905 by Wakeford and Son. Picturesque building combining classical framework with Tudor-like large mullioned and transomed windows. Red brick with terra-cotta dressings and lakeland slate roofs. One-storey front range of 7 wide bays with 2 bell-cupolas on roof ridge. Centre and end bays project under gables. The front is framed in an Ionic Order with pilasters to windows and freestanding columns at angles of end bays. Open pediments over windows contain draped cartouches. Round-arched central entrance in rusticated terra-cotta panel has Ionic columns supporting open pediment with draped cartouche bearing escutcheous. Balcony above with side balustrades. Two-bay returns to 3-storey side wings of 5 and 4 bays with large windows and entablatures to floors, heavy modillion eaves cornice.</p> <p>Listing NGR: TQ3233575241</p>

## PART 1

<b>HERNE HILL ROAD SE24 (West Side)</b>			
Forecourt walls and piers to Carnegie Library			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204302	5023	TQ 3275 19/473	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
Low red brick walls with terra-cotta coping and taller piers. Modern railings. Listing NGR: TQ3235375249

## PART 1

<b>HILL PATH SW16 (off Streatham Common North)</b>			
About 90 metres of wall, on west side of path, between grid references			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204305	5023	TQ 30917106 andTQ 30897115 TQ 3071 34/476	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Tall C18 wall of pinkish brick sloped in to coping and with tapered buttresses. English bond. At north end wall turns west for about 18 yds. This section is of C17 appearance, very tall with arched drain openings in plinth. Tall, stone-coped pier at angle. Bright red brick, some blue headers, indeterminate bond.</p> <p>Listing NGR: TQ3091071060</p>

## PART 1

<b>HILL PATH SW16 (off Streatham Common North)</b>		
About 95 metres of wall, on east side of path, between grid references		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204304	5023	TQ 30917106 and TQ 3071 34/475 TQ 30917115
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Possibly early C18. Battered wall of pinkish brick with an alcove at south end. English bond. Farther north is later in date, perhaps post-1800, with Flemish bond in places. Pair of taller, stone-coped circa 1800 gate piers also at south end. Listing NGR: TQ3091071060</p>

## PART 1

<b>HILL PATH SW16 (off Streatham Common North)</b>			
About 95 metres of wall, on south side of path, between grid references			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204306	5023	TQ 30897115 and TQ 30817116 TQ 3071 34/477	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>C17 lower parts of wall with arched drain openings in plinth. Red brick, some blue headers, indeterminate bond. Upper part rebuilt possibly in early C19 with stock brick buttresses. Western end of pinkish brick. Listing NGR: TQ3089071150</p>