CONTROL OF PERMITTED DEVELOPMENT

IN CONSERVATION AREA NO 11 (ST MARKS)

A Design Guide related to a Direction under Article 4 of the Town & Country Planning General Development Order 1977 for the Fentiman Estate

> Richborne Terrace Fentiman Road Meadow Road Trigon Road Claylands Road Palfrey Place Ashmole Street

London Borough of Lambeth Directorate of Town Planning & Economic Development

INTRODUCTION

In early 1984, following public consultations, the Council of the London Borough of Lambeth decided to seek new controls on building work in order to protect the character of existing properties in part of St Mark's Conservation Area.

Article 3 and Schedule 1 of the General Development Order 1977, specify certain classes of building works as "permitted development" which can normally be carried out without permission of the local authority or the Secretary of State. Article 4 of the same order and DOE Circular 23/77 provides that a local planning authority or the Secretary of State can issue Directions to restrict rights of permitted development where there are potential or known threats to the character of the area or where a Direction can assist a positive policy for improving the environment.

It has been the Council's policy when considering town planning applications to ensure that important features of the Conservation Area be retained and enhanced, however, it was becoming increasingly apparent that the cumulative effect of "permitted development" building activities were beginning to erode the architectural character of the Area.

In March 1984 the Town Planning Committee approved a Direction under Article 4 of the General Development Order 1977, to restrict the classes of development described in this design guide. Any planning applications which are necessary because of the Article 4 Direction are free to applicants.

For further information about this design guide please write or telephone :

The Directorate of Town Planning & Economic Development Urban Design Group Courtenay House 9-15 New Park Road London SW2

01-674 9844 Extension 377

1.0 STREET

Richborne Terrace

2.0 PROPERTY NOS

8-32, 64-78, 5-75

- 3.0 CLASSES OF DEVELOPMENT CONTROLLED
- 3.1 Class I.1 Enlarging or changing the outside of a house including installing different windows or doors, rendering or cladding of the exterior.

Notes: This control has been sought to protect the visual coherence of the street frontage of these properties. The Council wishes to encourage the restoration of original features and discourage visual changes to the front clevations.

Recommendations: Retention and restoration of the original stock brick walls, stucco decoration, timber sash windows, front doors and steps.

3.2 Class I.2 Constructing a porch.

Notes: This control has been sought to prevent the masking of or damage to the original column and entablature door surrounds.

 $\frac{\text{Recommendations}}{\text{surrounds}}: \text{ Retention and restoration of the original door}$

3.3 Class I.4 Constructing hardstandings for vehicles in front gardens.

Notes: Street parking in this area presents many problems, and there is an increasing demand for forecourt parking. The houses on the south side of Richborne Terrace generally have space for garages in their rear gardens with access from Oval Place.

Recommendations: Where the front garden is large enough to allow parking at right angles to the road without overhanging the pavement, and with sufficient space to avoid obstruction of daylight to rooms on the lower floors, the Council would consider granting planning consent for parking of private cars provided that the visual impact of the parking is such that the scheme blends satisfactorily with the area.

The general aim of any design scheme for parking in front gardens should be to maintain a sense of enclosure through the retention or construction of walls, fences and gates, and of the provision of planting and suitable paying materials.

3.4 <u>Class II.1</u> Constructing fences, walls, gates or other enclosures in front gardens.

Notes: In most cases the original pattern of walls, railings and gates has almost completely disappeared and has been replaced with a variety of enclosures in other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front materials in the area.

<u>Recommendations</u>: Cast iron or steel railings with matching gates of traditional appearance or walls and piers built of stock brick should be used wherever possible.

3.5 Class II.3 Painting the exterior of houses.

Notes: The architectural unity of the front of the terraces in the street may be diminished by the use of different paint colours, and following public consultation a range of recommended colours has been selected.

Recommendations: Stucco walls and mouldings - White 00 E 55
Window and door frames - White 00 E 55 - gloss
Front doors - Any colour - gloss
Railings - Black 00 E 53 - gloss

Existing unpainted brickwork should not be painted. Where brickwork has already been painted, it is recommended that when necessary this should be repainted in one of the following colours:

Sandstone - 08 B 17 or Hopsack - 10 B 17

4.0 STREET

Fentiman Road

5.0 PROPERTY NOS

1-71 (South Side)

- 6.0 CLASSES OF DEVELOPMENT CONTROLLED
- 6.1 Class I.1 Enlarging or changing the outside of a house including installing different windows or doors, rendering or cladding of the exterior.

Notes: This control has been sought to protect the visual coherence of the street frontage of these properties. The Council wishes to encourage the restoration of original features and discourage visual changes to the front elevations.

<u>Recommendations</u>: Retention and restoration of the original stock brick walls, stucco decoration, timber sash windows, front doors and steps.

6.2 Class I.2 Constructing a porch.

Notes: This control has been sought to prevent the masking of or damage to the original column and entablature door surrounds.

 $\frac{\textbf{Recommendations}}{\textbf{surrounds}}: \textbf{Retention and restoration of the original door}$

6.3 Class I.4 Constructing hardstandings for vehicles in front gardens.

Notes: Street parking in this area presents many problems, and there is an increasing demand for forecourt parking. Some front gardens in this street have already been replaced by hardstandings, and there is danger that the harmony and continuity of the street frontage will be seriously damaged if this process is not controlled.

Recommendations: Where the front garden is large enough to allow parking at right angles to the road without overhanging the pavement, and with sufficient space to avoid obstruction of daylight to rooms on the lower floors, the Council would consider granting planning consent for parking of private cars provided that the visual impact of the parking is such that the scheme blends satisfactorily with the area.

The general aim of any design scheme for parking in front gardens should be to maintain a sense of enclosure through the retention or construction of walls, fences and gates, and of the provision of planting and suitable paying materials.

6.4 Class II.1 Constructing fences, walls, gates or other enclosures in front gardens.

Notes: In most cases the original pattern of walls, railings and gates has almost completely disappeared and has been replaced with a variety of enclosures in other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front gardens in the area.

<u>Recommendations</u>: Cast iron or steel railings with matching gates of traditional appearance or walls and piers built of stock brick should be used wherever possible.

6.5 Class II.3 Painting the exterior of houses.

Notes: The architectural unity of the front of the terraces in the street may be diminished by the use of different paint colours, and following public consultation a range of recommended colours has been selected.

Recommendations: Stucco walls and mouldings - White 00 E 55 | Window and door frames | White 00 E 55 - gloss | Pront doors | Any colour - gloss | Railings | Black 00 E 53 - gloss

Existing unpainted brickwork should not be painted. Where brickwork has already been painted, it is recommended that when necessary this should be repainted in one of the following colours:

Sandstone - 08 B 17 or Hopsack - 10 B 17

7.0 STREET Fentiman Road

8.0 PROPERTY NOS 2-62, 64-88 (North Side)

9.0 CLASSES OF DEVELOPMENT CONTROLLED

9.1 Class I.1 Enlarging or changing the outside of a house including installing different windows or doors, rendering or cladding of the exterior.

Notes: This control has been sought to protect the visual coherence of the street frontage of these properties. The Council wishes to encourage the restoration of original features and discourage visual changes to the front elevations.

Recommendations: Retention and restoration of the original stock brick walls, stucco decoration, timber sash windows, front doors and steps.

9.2 Class I.2 Constructing a porch.

Notes: This control has been sought to prevent the masking of or damage to the original columns and entablature door surrounds.

 ${\tt Recommendations}$: Retention and restoration of the original door surrounds.

9.3 Class I.4 Constructing hardstandings for vehicles in front gardens.

Notes: The front gardens on the north side of Fentiman Road are not large enough to allow parking at right angles to the pavement without overhanging the pavement and do not have sufficient space to avoid obstruction of daylight to rooms on the lower floors. Consequently it is unlikely that the Council would grant planning consent for parking in front gardens.

9.4 <u>Class II.1</u> Constructing fences, walls, gates or other enclosures in front gardens.

Notes: In most cases the original pattern of walls, railings and gates has almost completely disappeared and has been replaced with a variety of enclosures in other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front gardens in the area.

<u>Recommendations</u>: Cast iron or steel railings with matching gates of traditional appearance or walls and piers built of stock brick should be used wherever possible.

9.5 Class II.3 Painting the exterior of houses.

Notes: The architectural unity of the front of the torraces in the street may be diminished by the use of different paint colours, and following public consultation a range of recommended colours has been selected.

Recommendations:

Stucco walls and mouldings - White 00 E 55
Window and door frames
Front doors - Any colour - gloss
Railings - Black 00 E 53 - gloss

Existing unpainted brickwork should not be painted. Where brickwork has already been painted, it is recommended that when necessary this should be repainted in one of the following colours:

Sandstone - 08 B 17 or Hopsack - 10 B 17

Fentiman Road

10.0 STREET

PROPERTY NOS 11.0

90-98

CLASSES OF DEVELOPMENT CONTROLLED 12.0

Class I.1 Enlarging or changing the outside of a house including 12.1 installing different windows or doors, rendering or cladding of the exterior.

This control has been sought to protect the visual coherence of the street frontage of these properties. The Council wishes to encourage the restoration of original features and discourage visual changes to the front elevations.

Recommendations: Retention of the original timber sash windows and front doors. Restoration of cornices and stucco decoration.

Class I.2 Constructing a porch. 12.2

> This control has been sought to prevent the masking of or damage to the original column and entablature door surrounds.

Recommendations: Retention and restoration of the original door surrounds.

Class I.4 Constructing hardstandings for vehicles in front gardens. 12.3

The front gardens on the north side of Fentiman Road are not large enough to allow parking at right angles to the pavement without overhanging the pavement and do not have sufficient space to avoid obstruction of daylight to rooms on the lower floors. Consequently it is unlikely that the Council would grant planning consent for parking in front gardens.

Class II.1 Constructing fences, walls, gates or other enclosures in 12.4 front gardens.

> In most cases the original pattern of walls, railings and Notes : gates has almost completely disappeared and has been replaced with a variety of enclosures in other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front gardens in the area.

> Recommendations: Cast iron or steel railings with matching gates of traditional appearance or walls and piers built of stock brick should be used wherever possible.

Notes: The front elevations of these houses have been refaced in common bricks and painting this element is included in the recommendations. The paint colours for other parts of the buildings have been chosen following public consultations.

Recommendations: Front brickwork -- Sandstone 08 B 17

Stucco walls & Mouldings White 00 E 55

White 00 E 55 - gloss
Front doors -- Any colour - gloss
Railings -- Black 00 E 53 - gloss

13.0 STREET

Fentiman Road

14.0 PROPERTY NOS

105-189 (South Side)

15.0 CLASSES OF DEVELOPMENT CONTROLLED

15.1 Class I.4 Constructing hardstandings for vehicles in front gardens.

Notes: Street parking in this area presents many problems, and thore is an increasing demand for forecourt parking. Some front gardens in this street have already been replaced by hardstandings, and there is danger that the harmony and continuity of the street frontage will be seriously damaged if this process is not controlled.

Recommendations: Where the front garden is large enough to allow parking at right angles to the road without overhanging the pavement, and with sufficient space to avoid obstruction of daylight to rooms on the lower floors, the Council would consider granting planning consent for parking of private cars provided that the visual impact of the parking is such that the scheme blends satisfactorily with the area.

The general aim of any design scheme for parking in front gardens should be to maintain a sense of enclosure through the retention or construction of walls, fences and gates, and of the provision of planting and suitable paving materials.

-15.2 Class II.1 Constructing fences, walls, gates or other enclosures in front gardens.

Notes: In most cases the original pattern of walls, railings and gates has almost completely disappeared and has been replaced with a variety of enclosures in other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front gardens in the area.

Recommendations: Cast iron or steel railings with matching gates of traditional appearance or walls and piers built of stock brick should be used wherever possible.

Meadow Road

STREET PROPERTY NOS 17.0

16.0

6-42 (West Side)

CLASSES OF DEVELOPMENT CONTROLLED 18.0

Class I.1 Enlarging or changing the outside of a house including 18.1 installing different windows or doors, rendering or cladding of the exterior.

This control has been sought to protect the visual Notes : coherence of the street frontage of these properties. The Council wishes to encourage the restoration of original features and discourage visual changes to the front elevations.

Recommendations: Retention and restoration of the original stock brick walls, stucco decoration, timber sash windows and front doors.

Class I.2 Constructing a porch. 18.2

> This control has been sought to prevent the masking of or damage to the original door surrounds.

Recommendations: Retention and restoration of the original door surrounds.

Class I.4 Constructing hardstandings for vehicles in front gardens. 18.3

The front gardens on the west side of Meadow Road are not large enough to allow parking at right angles to the pavement without overhanging the pavement and do not have sufficient space to avoid obstruction of daylight to rooms. Consequently it is unlikely that the Council would grant planning consent for parking in front gardens.

Class II.1 Constructing fences, walls, gates or other enclosures in 18.4 front gardens.

In most cases the original pattern of walls, railings and gates has almost completely disappeared and has been replaced with a variety of enclosures in other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front gardens in the area.

Recommendations : Cast iron or steel railings with matching gates of traditional appearance or walls and piers built of stock brick should be used wherever possible.

Notes: The architectural unity of the front of the terraces in the street may be diminished by the use of different paint colours, and following public consultation a range of recommended colours has been selected.

Recommendations: Stucco walls and mouldings -- White 00 E 55
Window and door frames -- White 00 E 55 -- gloss
Front doors -- Any colour -- gloss
Railings -- Black 00 E 53 -- gloss

Existing unpainted brickwork should not be painted. Where brickwork has already been painted, it is recommended that when necessary this should be repainted in one of the colours already used in the torrace or Sandstone 08 B 17, Hopsack 10 B 17, Willow 12 B 17 or White 00 E 55.

Trigon Road

- 19.0 STREET
- 20.0 PROPERTY NOS

2-44

- 21.0 CLASSES OF DEVELOPMENT CONTROLLED
- 21.1 Class I.1 Enlarging or changing the outside of a house including installing different windows or doors, rendering or cladding of the exterior.

Notes: This control has been sought to protect the visual coherence of the street frontage of these properties. The Council wishes to encourage the restoration of original features and discourage visual changes to the front elevations.

Recommendations: Retention and restoration of the original stock brick walls, stucco decoration, timber sash windows, front doors and steps.

21.2 Class I.2 Constructing a porch.

Notes: This control has been sought to prevent the masking of or damage to the original door surrounds.

Recommendations: Retention and restoration of the original door surrounds.

21.3 Class I.4 Constructing hardstandings for vehicles in front gardens.

Notes: The front gardens on the north side of Trigon Road are not large enough to allow parking at right angles to the pavement without overhanging the pavement and do not have sufficient space to avoid obstruction of daylight to rooms. Consequently it is unlikely that the Council would grant planning consent for parking in front gardens.

21.4 <u>Class II.1</u> Constructing fences, walls, gates or other enclosures in front gardens.

Notes: In some cases the original pattern of gates and railings has disappeared and has been replaced with other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front gardens in the area.

Recommendations: Cast iron or steel railings with matching gates of traditional appearance or walls and piers built of stock brick should be used wherever possible.

Notes: The architectural unity of the front of the terraces in the street may be diminished by the use of different paint colours, and following public consultation a range of recommended colours has been selected.

Recommendations: Stucco walls and mouldings - White 00 E 55
Window and door frames - White 00 E 55 - gloss
Front doors - Any colour - gloss
Railings - Black 00 E 53 - gloss

Existing unpainted brickwork should not be painted. Where brickwork has already been painted, it is recommended that when necessary this should be repainted in one of the colours already used in the terrace or Sandstone 08 B 17, Hopsack 10 B 17, Willow 12 B 17 or White 00 E 55.

22.0 STREET Claylands Road

23.0 PROPERTY NOS 11-37, 12-76, 78-92

24.0 CLASSES OF DEVELOPMENT CONTROLLED

24.1 <u>Class I.1</u> Enlarging or changing the outside of a house including installing different windows or doors, rendering or cladding of the exterior.

Notes: This control has been sought to protect the visual coherence of the street frontage of these properties. The Council wishes to encourage the restoration of original features and discourage visual changes to the front elevations.

<u>Recommendations</u>: Retention and restoration of the original stock brick walls, stucco decoration, timber sash windows, front doors and steps.

24.2 Class I.2 Constructing a porch.

Notes: This control has been sought to prevent the masking of or damage to the original door surrounds.

 $\underline{\textbf{Recommendations}}$: Retention and restoration of the original door surrounds.

24.3 Class I.4 Constructing hardstandings for vehicles in front gardens.

Notes: The front gardens in Claylands Road are not large enough to allow parking at right angles to the pavement without overhanging the pavement and do not have sufficient space to avoid obstruction of daylight to rooms. Consequently it is unlikely that the Council would grant planning consent for parking in front gardens.

24.4 <u>Class II.1</u> Constructing fences, walls, gates or other enclosures in front gardens.

Notes: In some cases the original pattern of gates and railings has disappeared and has been replaced with other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front gardens in the area.

Recommendations: Cast iron or steel railings with matching gates of traditional appearance or walls and piers built of stock brick should be used wherever possible.

Notes: The architectural unity of the front of the terraces in the street may be diminished by the use of different paint colours, and following public consultation a range of recommended colours has been chosen.

Recommendations : Stucco walls and mouldings -- White 00 E 55
Window and door frames -- White 00 E 55 -- gloss
Front doors -- Any colour -- gloss
Railings -- Black 00 E 53 -- gloss

Existing unpainted brickwork should not be painted. Where brickwork has already been painted, it is recommended that when necessary this should be repainted in one of the colours already used in the terrace or Sandstone 08 B 17, Hopsack 10 B 17, Willow 12 B 17 or White 00 E 55.

Palfrey Place

25.0 STREET

26.0

PROPERTY NOS

27.0 CLASSES OF DEVELOPMENT CONTROLLED

27.1 Class I.1 Enlarging or changing the outside of a house including installing different windows or doors, rendering or cladding of the exterior.

Notes: This control has been sought to protect the visual coherence of the street frontage of these properties. The Council wishes to discourage visual changes to the front elevations.

<u>Recommendations</u>: Retention and restoration of the original stock brick walls and decoration, timber sash windows, front doors and steps.

27.2 Class I.2 Constructing a porch.

Notes: This control has been sought to prevent the masking of or damage to the original door surrounds.

Recommendations : Retention of the original door surrounds.

27.3 Class I.4 Constructing hardstandings for vehicles in front gardens.

Notes: The front gardens in Palfrey Place are not large enough to allow parking at right angles to the pavement without overhanging the pavement and do not have sufficient space to avoid obstruction of daylight to rooms. Consequently it is unlikely that the Council would grant planning consent for parking in front gardens.

27.4 Class II.1 Constructing fences, walls, gates or other enclosures in front gardens.

Notes: In most cases the original pattern of walls, railings and gates has almost completely disappeared and has been replaced with a variety of enclosures in other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front gardens in the area.

Recommendations: Walls and piers of stock brick possibly with red brick string courses should be used wherever possible.

Notes: The architectural unity of the front of the houses in this street may be diminished by the use of different paint colours, and following public consultation a range of recommended colours has been chosen.

Recommendations :

Window and door frames - White 00 E 55 - gloss
Front doors - Any colour - gloss
Railings - Black 00 E 53 - gloss

Existing unpainted brickwork should not be painted.

Ashmole Street

STREET 29.0 PROPERTY NOS

28.0

81-87, 82-86

30.0 CLASSES OF DEVELOPMENT CONTROLLED

Enlarging or changing the outside of a house including 30.1 Class I.1 installing different windows or doors, rendering or cladding of the exterior.

This control has been sought to protect the visual coherence of the street frontage of these properties. The Council wishes to encourage the restoration of original features and discourage visual changes to the front elevations.

Recommendations: Retention and restoration of the original stock brick walls, stucco decoration, timber sash windows, front doors and steps.

30.2 Class I.2 Constructing a porch.

> This control has been sought to prevent the masking of or damage to the original door surrounds.

Recommendations: Retention and restoration of the original door surrounds.

30.3 Class I.4 Constructing hardstandings for vehicles in front gardens.

Notes : The front gardens in Ashmole Street are not large enough to allow parking at right angles to the pavement without overhanging the pavement and do not have sufficient space to avoid obstruction of daylight to rooms. Consequently it is unlikely that the Council would grant planning consent for parking in front gardens.

Class II.1 Constructing fences, walls, gates or other enclosures in 30.4 front gardens.

In some cases the original pattern of gates and railings has disappeared and has been replaced with other materials. The Council wishes to promote a unified and coherent treatment for the enclosure of front gardens in the area.

Recommendations : Cast iron or steel railings with matching gates of traditional appearance or walls and piers built of stock brick should be used wherever possible.

Notes: The architectural unity of the front of the terraces in the street may be diminished by the use of different paint colours, and following public consultation a range of recommended colours has been chosen.

Recommendations: Stucco walls and mouldings - White 00 E 55 - gloss
Front doors - White 00 E 55 - gloss
Front doors - Any colour - gloss
Railings - Black 00 E 53 - gloss

Existing unpainted brickwork should not be painted. Where brickwork has already been painted, it is recommended that whon necessary this should be repainted in one of the colours already used in the terrace or Sandstone O8 B 17, Hopsack 10 B 17, Willow 12 B 17 or White OO E 55.