

## PART 1

<b>KENNINGTON CROSS</b>			
Gentlemen's underground lavatory and above ground structures: ventilation shaft, railings, 4 bollards and cattle trough			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
488104			963/0/10116
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	04/10/2001	

## PART 2

<b>DESCRIPTION</b>
<p>Gentlemen's public conveniences together with railings, ventilation shaft, four bollards and cattle trough. Circa 1900, built as a result of the 1891 Public Health/London Act by the local authority with fittings by Finch and Co. of Lambeth but horse trough by the Metropolitan Drinking Trough Association may be of c1880. Underground features include original white tiled walls, 10 urinal stalls with white porcelain bases and black marble modesty screens with ceramic roundels inscribed "B Finch and Co Limited, Sanitary Engineers, Lambeth SE", painted wooden cubicles, multi-coloured mosaic floor, attendant's kiosk with wooden panelling and high level cast iron water tank, each of the three glass panels having a generous bevelled edge. At the head of the steps are ornamental cast iron railings with spear railings with scroll design and octagonal corner piers with moulded bases and caps. The ventilation shaft is about 20 feet high of cast iron with circular shaft surmounted by crown-shaped moulding and a panelled square plinth inscribed "B Finch and Co Ltd Lambeth." Adjoining the railings is a rectangular stone cattle drinking trough inscribed "METROPOLITAN DRINKING FOUNTAIN &amp; CATTLE TROUGH ASSOCIATION" on a lower dog trough with two curbing stones.</p> <p>[Bridget Cherry and Nikolaus Pevsner "The Buildings of England London 2: south. P368."]</p>

## PART 1

<b>KENNINGTON LANE SE11 (North Side)</b>			
Nos 188 to 198 (even)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204310	5023	TQ 3178 5/487	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Part of the Duchy of Cornwall Estate development of 1913-14 by Adshead and Ramsey. Purpose-built shopping parade of 3 storeys, 8 windows in all. Late Georgian style in pink brick with dressings of Roman cement including cornice and parapet with panels of balustrade, or of relief ornament on rounded corner to Cardigan Street. Second floor sill band. Narrow first floor balcony, with patterned cast iron rail, above egg-and-dart cornice of ground floor shop fronts divided by pilasters with feather and anthemion patterned capitals. Sash windows with glazing bars, alternate ones tripartite and having (on first floor) deep segmental relieving arches with keystone masks, impost blocks and fan reliefs in tympana. The fourth bay from left has a wider single window in moulded architrave with dentil cornice and figure relief of mermaids in panel above.</p> <p>Listing NGR: TQ3113678188</p>

## PART 1

<b>KENNINGTON LANE SE11 (North Side)</b>			
No 200			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204311	5023	TQ 3178 5/488	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Part of the Duchy of Cornwall development of 1913-14 by Adshead and Ramsey. Corner building with 4 bays both to Kennington Lane and to Courtenay Street and a 3-window concave quadrant angle. Three storeys. Pink brick with dressings of Roman cement, including balustrade parapet, bands at second floor and at first and second floor sills. Arcaded ground floor with impost band. Sash windows with glazing bars under flat red gauged brick arches (except for central taller tripartite first floor window with elliptical patterned head and incised oval panel above). First floor windows have louvred shutters (except in quadrant) and open to full width patterned cast iron balcony. In quadrant a central prostyle pedimented porch whose columns have Prince of Wales' feather capitals. Listing NGR: TQ3112278184</p>

## PART 1

<b>KENNINGTON LANE SE11 (North Side)</b>			
No 202			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204312	5023	TQ 3178 5/489	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Part of the Duchy of Cornwall development of 1913-14 by Adshead and Ramsey. Corner building with 4 bays both to Kennington Lane and to Courtenay Street and a 3-window concave quadrant angle. Three storeys. Pink brick with dressings of Roman cement, including balustrade parapet, bands at second floor and at first and second floor sills. Arcaded ground floor with impost band. Sash windows with glazing bars under flat red gauged brick arches (except for central taller tripartite first floor window with elliptical patterned head and incised oval panel above). First floor windows have louvred shutters (except in quadrant) and open to full width patterned cast iron balcony. In quadrant a central prostyle pedimented porch whose columns have Prince of Wales' feather capitals. Listing NGR: TQ3110578172</p>

## PART 1

<b>KENNINGTON LANE SE11 (North Side)</b>		
No 308 (St Peter's Vicarage)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204313	5023	TQ 3078 4/493
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	22/10/1974

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 house with alterations. Three storeys and basement, 2 windows in main block with 2-storey right entrance bay. Stock brick with stuccoed first floor sill band and thin cornice above which a tall Victorian gable, of stock brick with red brick decoration, has been added, containing a 3-light window under Tudor relieving arch. Other windows sashes under gauged flat brick arches, in round-arched recesses on ground floor. Original internal shutters. Four steps to door of 4 fielded and 2 beaded panels with thin columns and outer pilasters supporting wide cornice head under radial fanlight. Round-arched upper window probably a C19 addition. Said to have been the house of the manager of Vauxhall Gardens.</p> <p>Listing NGR: TQ3073978102</p>

## PART 1

<b>KENNINGTON LANE SE11 (North Side)</b>			
No 312 (Herbert House)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204316	5023	TQ 3078 4/491	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II*	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>1860-2, by J L Pearson. Built as St Peter's Orphanage and Training College for the daughters of clergy and professionals. Three storeys, of stock brick with bands and dressings of Bath stone. Tiled roof, tall brick chimneys. High Victorian Gothic style with French touches. Flat facade with irregularly-spaced windows, mostly having blank arches over ornamental brick tympana. Small gable left of centre breaks through brick den tiled cornice. Half-nipped gable on east end. Turret with conical cap at rear. Entrance from porch set back in small court between church and this building formed from chamfered comer supported on stout balustrade column.</p> <p>Listing NGR: TQ3070678085</p>

## PART 1

<b>KENNINGTON LANE SE11 (North Side)</b>			
Church of St Peter			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204315	5023	TQ 3078 4/490	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II*	GV	22/10/1974	

## PART 2

<b>DESCRIPTION</b>
<p>1863-4 by J L Pearson. The church runs north-south but this description refers to ritual directions. Polychrome brick with stone dressings and slated roofs. Nave, aisles low projecting narthex. North transept running into chancel aisle. Apsidal chancel. Extension to south-west, under separate roof, was to have been tower and spire; these were not built. C13 style; lancets alone or as part of large windows with simple plate tracery, and a wheel window high in west gable. Small conical bell tower to south. Interior is light and spacious, nave running straight into chancel. Whole church, including aisles and narthex, rib vaulted with brick panels. High standard of design and craftsmanship throughout, virtually unaltered. Gallery around apse. Wrought iron front and side screens to raised choir whose low wall joins elaborate carved stone pulpit with pictorial panels of painted stone and gold. Mosaic and marble reredos, carved marble sedilia and piscina. Square stone front with painted border and tall ornamental font cover.</p> <p>Listing NGR: TQ3072278103</p>

## PART 1

<b>KENNINGTON LANE SE11 (North Side)</b>		
Wall on east side of front garden to No 308		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204314	5023	TQ 3078 4/492
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
C18 and possibly earlier, patched in C19. Dark brick. Listing NGR: TQ3074778092



## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
Nos 113, 113B, 115, 115A, 117, 117B, 119, 119A and 121			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204317	5023	TQ 3178 5/495	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 terrace partly rebuilt in facsimile to make good war and other damage. Stock brick with parapet front. Stuccoed basement and ground floor, the latter banded. Each 3 storeys and basement, 2 windows. Replaced sashes with glazing bars under red gauged brick arches. Replaced 6-panel doom with radial fanlights. Replaced steps with side walls and wrought iron handrails. Replaced cast iron forecourt railings and coped brick piers.</p> <p>Listing NGR: TQ3145678437</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>		
No 123		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204318	5023	TQ 3178 5/496
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early C19. Upper facade rebuilt to make good was and other damage. Stock brick with parapet front. Ground floor and basement stuccoed with incised lines. Three storeys, and basement, 2 windows, replaced sashes with glazing bars. Gauged brick flat arches on upper floors, stucco moulded architraves below. Six-panel replaced door with radial fanlight in raised stucco surround with impost blocks. Rebuilt steps with side wall and wrought iron handrail. Rebuilt cast iron forecourt railing and capped brick piers.</p> <p>Listing NGR: TQ3144378433</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
No 125			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204319	5025	TQ 3178 5/497	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Cottage of circa 1800. Stock brick with parapet front. Two storeys, 2 windows, replaced sashes with glazing bars under flat gauged red brick arches. Replaced 6-panel door in stucco pilaster-and-entablature surround. Rebuilt cast iron forecourt railing and capped brick piers. Listing NGR: TQ3143978428</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
No 127			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204320	5023	TQ 3178 5/498	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Substantial late C18 house of stock brick with parapet front. Three storeys, 3 windows. Some rebuilding to top floor. Gauged flat red brick arches to replaced sash windows with glazing bars. Replaced in 6-panel door with radial fanlight in stuccoed architrave with key and impost blocks. Replaced cast iron forecourt railings and capped brick piers. Listing NGR: TQ3142778420</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
Nos 129 to 135 (odd)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204321	5023	TQ 3178 5/499	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Late C18, partly rebuilt to make good war and other damage. Stock brick with parapet fronts before Welsh slate roofs. Two storeys, 7 windows in all, replaced sashes with glazing bars under flat gauged red brick arches. Replaced 6-panel doors with radial fanlights under round gauged brick arches. Replaced cast iron forecourt railings and capped brick piers. Listing NGR: TQ3141978417</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
Nos 137 to 147 (odd)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204322	5023	TQ 3178 5/500	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Circa 1800 stepped terrace, each house 3 storeys and sunk basement, 2 windows. Stock brick with stone-coped parapet. Much rebuilding to 2 outer houses. Gauged red brick window arches now stuccoed (or replaced by stone lintels in outer houses). Sash windows, mostly with glazing bars. Doors of 6 panels. Nos 139, 141 and 143 have fluted head and patterned radial fanlight in vermiculate rusticated doorway. No 137 has oblong fanlight and plain surround. No 145 has shallow rounded bow with entablature (possibly once a shop front) and altered door. No 147 has large mid C19 shop front with composite pilasters and entablature with dentil cornice, panelled stall risers and original glazing. Outer houses included mainly for group value. Listing NGR: TQ3138478396</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
No 155 - No 157			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204323	5023	TQ 3178 5/501	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II*		19/10/1951	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C18 pair. Three storeys, 3 and 4 windows respectively. No 157 has modern right bay with garage. Dark stock brick with parapet. Gauged brick arches to sash windows with glazing bars in moulded architraves and stucco-lined reveals. Doors of 4 fielded and 2 beaded panels, with cornice head and radial fanlight in narrow moulded architrave above narrow pilasters, the whole set in wood door case of architrave with Greek key pattern, enriched frieze and cornice, No 155 with modillions and garlands hanging from sides of architrave. No 157 has cornice with dentils and egg-and-dart moulding. Duchy of Cornwall Estate Office. Listing NGR: TQ3133478375</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
No 167 (Durning Library)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204324	5023		5/502
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>1889 by Sidney Smith. Gothic Revival with North Italian and Flemish attributes. Tall, narrow building of 3 storeys, attic and basement; 2 bays at right and a tower bay, of 4 storeys and basement under tall pyramidal roof, at left. Fareham red brick with dressings of different stones. Very steeply pitched slated roof with tall chimneys. Elaborate facade with mixture of Gothic, Tudor and Renaissance motifs. Projecting open arcaded ground floor with balustrade and set back left and central entrances. Tile and terra-cotta decoration above arcade. Second floor oriel on elaborate corbel has highly decorated gable above, and a griffin rests on a corbelled bracket below.</p> <p>Listing NGR: TQ3130278353</p>



## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
No 225 (Imperial Court)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204325	5023	TQ 3178 5/505	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>1835-6 designed by H and E Rose as a school for the Licensed Victuallers' Company Now the NAAFI headquarters. Large 4-storey building of five 3-window sections, the centre and ends projecting. Stock brick with dressings of stone and stucco in classical style. Rusticated ground and first floor podia in centre and ends forming voussoirs to round-arched openings. In centre a tetrastyle composite pedimented portico before tall triple window with cornice and pediment. Gauged flat brick arches to sash windows with glazing bars; moulded architraves in ends. Intermediate sections have a mezzanine floor inserted with modern windows. Wide flight of steps to 3 round-arched entrances in centre.</p> <p>Listing NGR: TQ3115778108</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
Nos 231 to 245 (odd)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204326	5023	TQ 3178 5/506	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	19/10/1951	

## PART 2

<b>DESCRIPTION</b>
<p>Substantial, symmetrical early C19 terrace, each house 3 storeys, attic and basement, 3 windows. End and 2 central houses taller and slightly projecting. Central pair wider. Stock brick with stuccoed basement, first floor sill band and mutuled cornice. Stone-coped parapet. No cornice to central pair. Slated mansards with modern but seemly dormers. Some rebuilding after war damage. Gauged flat brick arches to sash windows with glazing bars, long on ground floor and with patterned cast iron guards in centre; round-arched in recesses in central and outer houses, with stuccoed impost band. About 7 steps to doors of 4 fielded and 2 beaded panels with fanlights (some patterned) in round-arched recesses. Central doors have side light panels and wider fanlight.</p> <p>Listing NGR: TQ3109078105</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>		
No 337		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204327	5023	TQ 3078 4/507
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 house of 3 storeys, attic and basement, 3 windows. Stock brick with some rebuilding to upper parts and parapet. Slated mansard with 3 dormers. Stucco first floor sill band continuing to become parapet coping of left entrance bay. Gauged flat brick arches to sash windows with glazing bars. Plain door in panelled reveal with fanlight under moulded architrave whose receded imposts extend to form cornice head. Pilasters and console brackets support open pediment. Wrought iron area railings.</p> <p>Listing NGR: TQ3073178055</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>		
No 363 (St Anne's House)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204329	5023	TQ 3078 4/509
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Attributed to J M Gandy. Early C19 in Soanian style. Front of 3 storeys, attic and basement, possibly concealing older core. Stucco with cornice and parapet, and high side walls to slated mansard with dormer. Wide left bay has 2-storey projecting round bow, with tripartite windows and entablatures on both floors with paterae and fret decoration, set in full height round-arched recess which shapes the top of second floor window. Narrower right bay has segment-headed second floor window to match. Patterned cast iron balconies to bow. Six steps to door under deep bracketed hood. Modified entablature over has pediment with acroteria. Plain wrought iron hand and area railings. Listing NGR: TQ3062078028</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>			
Nos 365 and 367			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204330	5023	TQ 3078 4/510	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 pair, each 3 storeys, 2 windows. Stock brick. Stucco banded ground floor, frieze, cornice and blocking course. Moulded architraves to sash windows (except second floor plain stucco surrounds), those on groined floor with margin lights and vermiculate key blocks. Four-panel doors with rectangular fanlights. Included for group value. Listing NGR: TQ3061078021</p>

## PART 1

<b>KENNINGTON LANE SE11 (South Side)</b>		
Roman Catholic Church of St Anne		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204328	5023	TQ 3078 4/508
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>1903-7 by F A Walters. Dark red brick church with slated roofs in early English style with projecting buttresses giving emphasis. Nave and aisles in one (no clerestory), low west narthex, short transepts, lower 2-bay chancel with short, low aisles. (The church is aligned north-south but the directions given here are ritual). Tall, saddleback north-west tower of 4 stages, all with paired lancets including large bell openings in top stage, and 3 stepped lancets in gable. Spacious interior has 5-bay nave with narrow aisles divided into one-bay sections. Large chapel extension behind wrought iron screen from north aisle. Carved stone octagonal pulpit, with sounding-board, and low arcaded wall before chancel steps. Whole chancel covered with bright stencil patterns. Carved and painted reredos. Rood figures hung from roof and resting on beam - there is no screen.</p> <p>Listing NGR: TQ3063978021</p>

## PART 1

<b>KENNINGTON OVAL SE11 (South-West Side)</b>			
Nos 52 and 54 (Oval House)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204331	5023	TQ 3177 8/511	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Tall mid C19 villa of 3 storeys and basement, 3 windows. Stucco with incised lines; fairly low pitched hipped slate roof. Sash windows, some with margin lights, in chamfered reveals. Ground floor windows, including those in projecting canted bays on the returns, are casements with transoms; fancy glazing on left return. Five steps, with pierced side walls, to projecting porch whose parapet rises to a central peak. Tudor arched entrance. The birthplace of Field Marshal Lord Montgomery. Listing NGR: TQ310377638</p>

## PART 1

<b>KENNINGTON PARK ROAD</b>		
42-44 The Old Red Lion Public House		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
489588		963/0/10120
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		08/07/2002

## PART 2

<b>DESCRIPTION</b>
<p>Public house and off licence. Built circa 1929 on the site of an earlier public house of c1750. Tudorbethan style. Front elevation has eclectic timber framing with plastered infill, sides brick in English bond with tiled roof, two red brick clustered chimneystacks to left and stock brick chimneystack to right. Nos 42 and 43, the public house, are of two storeys attics and basement: two windows. No 44, the off licence, is of one storey one bay. EXTERIOR: Attic storey of nos 42 and 43 projects and has central gable with bargeboards and carved band above two four-light casements, supported on lion-shaped brackets painted red. Remainder of attic floor has pattern of arches underneath the windows and wooden bracket with hanging sign. First floor also has two four-light casements. Ground floor has projecting bar front with two arched windows with frosted stained glass and stall risers with brick nogging and three entrances, the right side to upper floors, the central and left to public and saloon bars, with rectangular fanlights and two-centred arched oak doors. No 44 to the left was the off licence. One storey brick with pendice slate roof. Shop front with twelve arches above, six arches below, stall risers of brick incorporating some tiles on edge and recessed arched door case with rectangular fanlight. INTERIOR: Intact interior with two bars, public and saloon, running the full depth of the property and staircase to right hand side. Adzed oak ceiling and wall frame beams, oak panelled internal porches, three Tudor-style fireplace surrounds with metal hoods and twisted brick piers, original lantern style lighting, bar counters with four-centred arches and decorated spandrels, heraldic shields, a built-in picture depicting the landing of Bonnie Prince Charlie in Scotland, original doors throughout and original cream and black tiles and fittings to lavatories.</p>



## PART 1

<b>KENNINGTON PARK ROAD SE11 (East Side)</b>			
Church of St Mark			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204334	5023	TQ 3177 8/240	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II*		19/10/1951	

## PART 2

<b>DESCRIPTION</b>
<p>1822-24 built by D R Roper to the design of A B Clayton. Greek revival church of sandstone with Portland stone tetrastyle Doric porch in antis, up 8 steps. Above the pediment a square tower bearing octagonal drum and open round Ionic stage with cupola; the whole decorated with acroteria. Single entrance, under small window, to narthex. Church splays out beyond to hold aisles. Five-bay returns with segment-headed windows on each floor. Pilaster bay divisions support entablature. Side entrances to narthex; and crypt entrances further east. Projecting centre at east with large window. Inside shows gallery on Doric columns round 3 sides. Aisles and galleries walled off in reconstruction after war damage; but screen of 2 tall piers of Ionic columns before east window remains. Central glass dome. C17 pulpit from St Michael, Wood Street. Listing NGR: TQ3120677520</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (East Side)</b>			
Decorative Column on west side of Kennington Park			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204333	5023	TQ 3177 8/513	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Formerly a fountain, shown at International Exhibition, 1869. Bowl removed after war damage. Decorative feature in pale terra-cotta stamped Doulton, Lambeth. On a square plinth, a squat round column supports a taller slimmer column, both plentifully decorated with fluting and delicate leafy and classical ornament. A small platform on top holds a sculptured family group of man, wife carrying baby, and child, by G Tinworth, representing "The Pilgrimage of Life". Listing NGR: TQ313257756</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (East Side)</b>			
Lodge at entrance to Kennington Park (formerly listed as Prince Albert Cottages)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204332	5023	TQ 3177 8/512	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II*		08/09/1961	

## PART 2

<b>DESCRIPTION</b>
<p>1851 with alterations of 1898. Designed by H Roberts for Prince Albert to display working class housing at the 1851 Exhibition. Two storeys, 3 bays to road, central bay holding staircase. Stock brick with red brick bands and dressing including gauged brick window arches on ground floor. Stone lintels above. To minimise fire risk no wood is used in main structure. Brick vaulted ceilings, hollow tile internal walls, slate stairs and paved and concrete floors.</p> <p>Listing NGR: TQ3136277849</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (East Side)</b>		
Wall and piers around west, north and east sides of St Mark's Churchyard		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204335	5023	TQ 3177 8/241
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
Low, dark granite walls; at intervals, tall pale granite piers with Portland stone round pedimented caps. Listing NGR: TQ3122677537

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>			
Nos 114 to 124 (even)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204336	5023	TQ 3178 5/514	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	15/05/1968	

## PART 2

<b>DESCRIPTION</b>
<p>Symmetrical early C19 terrace, arranged as 3 pairs of 3-storey and basement, 2-window houses with narrower 2-storey and basement entrance links, corresponding outer extensions (No 114 has extra storey added to outer bay). Stock brick with stuccoed cornice and blocking course and impost band to arcaded ground floor, also stuccoed arcade sills. Gauged flat brick arches to sash windows with glazing bars. Seven steps, with cast iron handrails, to 6-panel doors with recessed head and patterned fanlight in alternating block surround with vermiculate rustications and triple keystone. No 114 has patterned cast iron ground floor window guards. All but No 118 have area railings or grids. Nos 122 and 124 have low-pitched front gable with split lunette attic windows. The others have slated mansards with dormers.</p> <p>Listing NGR: TQ3150978187</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>		
Nos 126 to 132 (even)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204337		TQ 3178 5/515
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	15/05/1968

## PART 2

<b>DESCRIPTION</b>
<p>Two early C19 pairs, each 3 storeys, attic and basement, 2 windows, with 2-storey and basement linking entrance bay. Nos 126 end 128 have gable end with split lunette, others have slated mansard with dormers. Stock brick, stone-coped parapet. Cornice and blocking course in links. No 132 has link raised to full height in unmatched brick. Arcaded ground floor with impost band. Incised stucco basement and outer arcade piers to nos 130 and 132. Gauged flat brick arches to sash window with glazing bars (No 128 modern casements). Eight steps with cast iron handrails to 6-panel doors with recessed head and fanlight (No 126 radial) in alternating block surrounds with vermiculate rustication and triple keystone. Included for group value in spite of alterations. Listing NGR: TQ3148978163</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>			
No 136A			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204338	5023	TQ 3178 5/516	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Half of an early C19 pair, its partner destroyed. Three storeys, attic and basement, 2 windows, with 2-storey and basement entrance bay. Stock brick with stuccoed basement and arcaded ground floor with impost band. Stone-coped parapet, slated mansard with dormers. Gauged flat brick arches to sash windows with glazing bars; patterned cast iron guards on ground floor. Eight steps with cast iron handrail to 6-panel door, with receded head and fanlight, in alternating block surround with vermiculate rustication and triple keystone.</p> <p>Listing NGR: TQ3146978134</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>		
No 138(The White Bear Public House)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204339	5023	TQ 3178 5/517
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19, possibly with older core. Three storeys, 5 windows. Stucco with incised lines, entablature, and parapet. Moulded architraves, eared and triple keyed on first floor, to sash windows. Ground floor, refaced in cream architectural faience, has alternating doors and long plain windows. Original fascia and cornice remain. Included for group value. Listing NGR: TQ3144478143</p>



## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>		
Nos 140 to 162 (even)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204340	5023	TQ 3178 5/518
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	19/10/1951

## PART 2

<b>DESCRIPTION</b>
<p>Long, near-symmetrical terrace of late C18 or early C19. Central 3 houses of 4 storeys and basement, outer ones of 3 storeys and basement, 3 windows. Stock brick with stone-coped parapet. Gauged flat brick arches to sash windows, some with glazing bars, many replaced. Two and 5 steps to doors of 6 fielded panels in banded rusticated reveal with receded head and receded and moulded architrave whose keystone rises to dentilled cornice and pediment, supported on console brackets. Patterned fanlights in central section and ornamental cast iron first floor window guards to long windows. Some door pediments are open.</p> <p>Listing NGR: TQ3144578091</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>		
Nos 164 to 170 (even) and 170A		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204341	5023	TQ 3178 5/519
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	15/05/1980

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 or early C19 terrace with alterations. Each house 3 storeys and basement, 3 windows. Stock brick with stuccoed incised basement and ground floor to first floor sills. No 164 has flat gauged brick window arches; the others all have cemented lintels. Eight steps to doors of 6 ornamental panels, with cornice head and radial fanlight, in panelled reveal with architrave. Door cases of narrow engaged columns, entablature broken back and pediment to Nos 164 and 166. Others have fluted pilasters and moulded round architraves with keystones, one vermiculate, one with mask. Nos 170 and 170A only 2 windows wide; No 170A has projecting neo-Georgian shop front on ground floor. Included for group value and for door cases.</p> <p>Listing NGR: TQ3142378054</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>		
No 176		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204342	5023	TQ 3178 5/520
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19, possibly with older core. Three-storeys, one-window. Stock brick with stone-coped parapet and cambered arches to sash windows. Projecting from ground floor and overlapping part of No 178 a shop front with curved south-east corner; windows framed in attached, fluted Ionic columns supporting entablature with modillion cornice; glazing appears to be mid C19. Included for shop front. Listing NGR: TQ3140478026</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>			
No 178			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204343	5023	TQ 3178 5/521	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>C18. Three storeys, 3-windows. Reddish brick with stone-coped parapet and fairly high-pitched pantiled roof. Windows under gauged brick arches altered to C19 or modern casements. Cast iron ornamental guards on first floor. Entrance in right bay altered and other ground floor bays covered by projecting modern shop. Included for group value. Listing NGR: TQ3140278017</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>			
No 180			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204344	5023	TQ 3178 5/522	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early C19. Three storeys, attic and basement, 4 windows, the right entrance bay slightly set back; coach-house to right of this. Stock brick with stucco frieze, cornice and blocking course. Slated mansard with 2 dormers, hipped at right and with left end chimney wall. Replaced sash windows, those on second floor with glazing bars, except for first floor long casements to full width ornamental cast iron balcony. Gauged brick window arches stained red. Stuccoed basement. Eight rebuilt steps to door of 6 fancy panels in prostyle wood porch with fluted columns and frieze above gutter, wreaths at angles and mutuled cornice. Modern door and windows inserted in segmental-arched carriage opening at right. Tudor arched window above.</p> <p>Listing NGR: TQ3139278010</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>		
No 326 (The Hanover Arm Public House)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204346	5023	TQ 3177 8/524
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Includes No 1 Hanover Gardens. Early-mid C19. Three storeys. One bay on main front and a 2-window rounded angle to Hanover Gardens front of 4 bays (of which 2 are No 1 Hanover Gardens). Stock brick, stucco frieze, cornice and parapet. Sash windows, some with glazing bars, in moulded architraves; cornices over on first floor. Early C20 public house ground floor. Included for group value. Listing NGR: TQ3110677558</p>

## PART 1

<b>KENNINGTON PARK ROAD SE11 (West Side)</b>		
Forecourt wall and piers to No 180		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204345	5023	TQ 3178 5/523 TQ 3177 8/523
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
Early C19. Low stone-coped stuccoed wall; at each end a tall stuccoed pier with stone top and ornamental oval panel in frieze. Listing NGR: TQ3141078002

## PART 1

<b>KENNINGTON ROAD (West Side)</b>			
No. 318 (even)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
433887		TQ3178	963- /5/10017
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	04/11/1993	

## PART 2

<b>DESCRIPTION</b>
<p>Part of terrace. c1790-1820. Built of stock brick in Flemish bond with mansard roof and end brick chimneystacks. Three storeys and attics. 2 windows. Attic has C20 9-pane flat- roofed dormer. Stone coping. Second floor has 12-pane sashes with flat voussoirs. First floor has 12-pane sashes with flat voussoirs. Ground floor has right side round-headed arched windows in reveals. Left side round-headed door case with semi-circular fanlight and C20 6- panelled door. Stone panel to right above ground floor window reads "Kennington Green". C20 area railings. Listing NGR: TQ3119778139</p>



## PART 1

<b>KENNINGTON ROAD SE1 (East Side)</b>		
Nos 53, 55 and 57		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204347	5023	TQ 3179 3/525
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Small early C19 group of stock brick, parapet-fronted houses, all with basements. Three, two and three storeys, respectively. No 53 is one window wide with bowed front, the others two. Gauged flat brick arches to replaced sash windows, long on first floor of Nos 55 and 57, the latter with cast iron balconies. All have four-panel doors; No 53 in deep stuccoed reveal under lintel; No 55 with cornice head and plain fanlight under round brick arch with impost blocks; No 57 with cornice head and plain fanlight in round architrave on narrow pilasters, in stuccoed panel.</p> <p>Listing NGR: TQ3119879255</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>		
No 121		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204348	5023	TQ 3179 3/529
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	13/04/1978

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 appearance, possibly with earlier core. Two storeys, attic and basement, five windows. Tall proportions. Stock brick with stone-coped parapet. Tall slated mansard with three flat dormers having cornices. Sash windows with glazing bars under near-flat stuccoed arches moulded as five voussoirs. Three steps to six-panel door with cornice head and plain fanlight in narrow moulded architrave with key block. Door case of panelled pilasters, fluted brackets and open pediment with dentils and modillions.</p> <p>Listing NGR: TQ3126979028</p>

## PART 1

<b>KENNINGTON ROAD SE1 (East Side)</b>		
No 123 and 125		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204350	5023	TQ 3179 3/531
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	19/10/1951

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 pair, each originally three storeys and basement, three windows. No 123 has slightly set back added left entrance bay and No 125 a one-storey and basement right extension. Stock brick, stone-coped parapet. Gauged flat brick arches to sash windows, those of No 125 with glazing bars. Steps to door terraces with wrought iron handrails and guard rails. Doors of four fielded and two beaded panels. No 123 has cornice head and plain fanlight and is set in round arched stuccoed recess with key and impost blocks. No 125 has enriched Roman doric door case with pediment. Listing NGR: TQ3126678999</p>

## PART 1

<b>KENNINGTON ROAD SE1 (East Side)</b>		
Nos 127 and 129		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204351	5023	TQ 3178 5/532
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 pair each originally three storeys and basement, three windows each. No 127 has added two-storey left bay and 129 a one-storey right bay. Stock brick with stone-coped parapet. Gauged flat brick arches to sash windows with glazing bars. No 129 has full width patterned cast iron balcony on first floor and an added slated mansard with elliptical headed dormer. Six-panel doors. Steps to door terraces with wrought iron handrails and guard rails. No 127 has cornice head and fanlight in simple stucco door surround; No 129 has similar door treatment set in recess.</p> <p>Listing NGR: TQ3127178963</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>			
Nos 131 and 133			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204352	5023	TQ 3178 5/533	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	19/10/1951	

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 pair, each three-storeys and basement, three windows and an outer entrance bay of two-storey height. No 131 has an added one-storey left bay with tall parapet and basement garage. Stock brick with stone-coped parapet. Gauged flat brick arches to sash windows, mostly with glazing bars, long on first floor of No 133. Six-panel doors, No 131 with dentilled cornice head, plain fanlight in narrow moulded architrave, the whole in enriched Doric door case. No 133 has later wood porch with spindly fluted columns. Steps to wide door terrace with side walls, wrought iron hand, guard and area railings.</p> <p>Listing NGR: TQ3127178963</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>			
No 135-No 137			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204353	5023	TQ 3178 5/534	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	19/10/1951	

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 pair, each three-storeys and basement originally; No 135 has added three-storey left bay; No 137 rebuilt. Stock brick with stone-coped parapet. Gauged flat brick arches to sash windows. Doors of four fielded and two beaded panels with fluted cornice head and plain fanlight in panelled round-arched reveal with enriched architrave. Prostyle open pedimented Roman Doric porch also with carved enrichment. Steps to door terrace with wrought iron hand, guard and area railings.</p> <p>Listing NGR: TQ3127178963</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>		
Nos 139, 141 and 143		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204354	5023	TQ 3178 5/535
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	19/10/1951

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 or early C19 terrace. Three-storeys and basement, three, two and two windows, No 139 irregular. Stock brick with parapet and later dentilled cornice band. Remains of first floor band. Gauged flat brick arches to sash windows with glazing bars except on first floor of Nos 141 and 143 - long first floor casements with transoms and patterned cast iron balconies. No 139 has an added canted bay at left. Doors of four fielded and two beaded panels with enriched cornice head and fanlight with interlaced bars in narrow carved architrave. Door cases of fluted columns and open pediment on carved brackets.</p> <p>Listing NGR: TQ3126778943</p>

## PART 1

<b>KENNINGTON ROAD SE1 (East Side)</b>		
Nos 155 to 161 (odd)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204355	5023	TQ 3178 5/537
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 terrace, each three-storeys and basement, two windows. Stucco with incised lines. Banded rusticated around floor. Above first floor sill band are paired pilasters, Tuscan on first floor and panelled above, to cornice and blocking course. Sash windows with glazing bars in moulded architraves. No 155 has a patterned cast iron balcony at left of first floor and window guards on ground floor. No 161 has patterned cast iron balcony to both first floor windows. Masks on key blocks of ground floor windows. Doors of four fielded and two beaded panels under plain fanlights, the outer ones oblong and with console bracketed cornice hoods.</p> <p>Listing NGR: TQ3126778887</p>



## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>			
Nos 163 to 169 (odd)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204356	5023	TQ 3178 5/538	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Late C18, two pairs. Each house three-storeys and basement, two windows. Nos 163 and 165 are wider. Stock brick with stone-coped parapet. Nos 167 and 169 have slated mansard with dormers; round-headed to No 169. Segmental brick window arches except on ground and first floor of Nos 167 and 169 which are gauged and flat above, round below in arcading with stuccoed impost band. Nos 163 and 165 have projecting single-storey canted bays, that of No 163 stuccoed with dentil cornice and both with hipped leaded roofs. Doors of four fielded and two beaded panels. No 163 has fluted architrave and No 165 plain; oblong fanlights and bracketed cornice hoods. Wrought iron handrails to steps. Other doors have radial fanlights, fluted side pilasters and wrought iron rails to bridges over areas.</p> <p>Listing NGR: TQ3126778845</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>			
Nos 177 to 187 (odd)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204357	5023	TQ 3178 5/539	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 terrace, each three-storeys, attic and basement, two windows, (except No 177 - added blank left bay). Stock brick with parapet front. Slated mansard with dormer, No 181 painted. Gauged flat brick arches to sash windows mostly with glazing bard. Two steps to six-panel doors, Nos 177 and 179 paired with fluted head, patterned oblong fanlight and modified entablature surround; No 181 has altered door and ground floor; others have moulded architrave and console bracketed cornice; No 187 has door in set back entrance bay. Listing NGR: TQ3126578730</p>

## PART 1

<b>KENNINGTON ROAD SE1 (East Side)</b>			
Nos 189 and 191			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204358	5023	TQ 3178 5/540	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 pair, each three storeys, attic and basement, two windows, wide proportions. Stock brick with parapet front slated mansard with dormers. Gauged brick arches to sash windows and to long first floor basements with transoms and margin lights giving on to covered trellised balcony with leaded roof. Six-panel doors with plain fanlights. Six steps to door terraces with wrought iron railings. Listing NGR: TQ3126478720</p>

## PART 1

<b>KENNINGTON ROAD SE1 (East Side)</b>			
No 193			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204359	5023	TQ 3178 5/541	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 three-storeys, attic and sunk basement, two windows. Stock brick with parapet front, slated mansard with dormers. Grauged flat brick arches to sash windows and to long first floor casements with transoms and margin lights giving on to balcony. Door of four fielded and two beaded panels with needed head and oblong fanlight. Door case of panelled pilasters, receded frieze with central medallion and dentilled cornice on console brackets.</p> <p>Listing NGR: TQ3126478708</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>			
No 231 (Chester House)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204360	5023	TQ 3178 5/542	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Early C20. Four-storey, seven-window, block of flats. Stock brick with stone dressings; first floor band, first and third floor sill bands, moulded and modillion cornice. Hipped pantiled roof. Gauged flat brick arches to sash windows with glazing bars. Third floor sill brackets with gutter. In three centre bays, second floor windows have triple keystones; first floor windows have voussoirs and keystone with large mask. Also on first floor a thick, balustrade balcony on heavy carved brackets. Ground floor quoined. Modest half glazed door in moulded architrave at right. Listing NGR: TQ3126078561</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>		
Nos 233 to 291 (odd)		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204361	5023	TQ 3178 5/543
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	05/05/1978

## PART 2

<b>DESCRIPTION</b>
<p>Long late C18 terrace, each house three storeys, attic and basement, three windows. Stock brick with stone-coped parapet. Slated mansard with dormers. Gauged flat brick arches to sash windows with glazing bars. Centre and end houses have arcaded ground floors with round-headed windows set in stuccoed round arched recesses and impost band. Six-panel doors with cornice head and fanlight (mostly plain) in similar recesses. Three central houses under pediment with brick dentil cornice and central window. Some rebuilding after war damage, correctly carried out.</p> <p>Listing NGR: TQ3126178434</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>			
No 317			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204362	5023	TQ 3178 5/544	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Substantial five-bay early C19 house of three storeys. Stock brick with mutuled cornice and open pediment holding oval plaque inscribed "Marlborough House". Gauged flat brick arches to modern plate glass windows. Ground floor covered by modern shops. Architect Michael Searles. Listing NGR: TQ3125878253</p>

## PART 1

<b>KENNINGTON ROAD</b>		
319, 321 & 323		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
490437		963/0/10142
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	16/07/2003

## PART 2

<b>DESCRIPTION</b>
<p>Part of a terrace. Circa 1790-1, shop fronts and some refenestration C20. Built of stock brick with slate mansard roofs with stock brick chimneystacks between each property. Three storeys, attics and semi-basement; two windows. EXTERIOR: Attics have flat-roofed dormers with mainly C19 sashes but no 319 has a late C20 window. Mid C19 sashes with vertical glazing bars only except to the second floor of no 319 which has C20 top opening casements within original openings. Ground floors of nos 319 and 323 survive beneath the later shop fronts, no 319 with a door case with Coade stone surround and a simple radial fanlight. Rear elevation of no 323 retains sashes with vertical glazing bars. Remainder are C20 casements. INTERIOR: No 319 has a very complete survival of late C18 joinery including decorative moulded archway, shutter boxes to the windows of the ground floor front room, original timber six and four panelled doors, built-in cupboards, architraves, dado rails, half-height vertical panelling and further dado-height panelling in the hallway adjacent to the shop. The original staircase remains "in situ" with stick balusters and turned column newels. The ground floor room plan is particularly interesting for the apsidal end to the rear of the front reception room. Fitted cupboards and an alcove with shelves flank the opening between the two spaces. Interiors of nos 321 and 323 not inspected. If features survive they are likely to be similar. HISTORY: These properties form part of a terrace of houses of 1790-91 built on the Cleaver estate, leased to Thomas Ellis, victualler of the Horns, Kennington Road who developed the greater part of the Cleaver estate. Building sub-leases were granted by Ellis here in 1790 and 1791. In 1872 the Metropolitan Board of Works allowed the erection of shop fronts, covering the original front gardens, bringing the building line forward and obscuring the original ground floors.</p> <p>["Survey of London XXVI Parish of St. Mary Lambeth Part II: Southern Area 1956. Pp50-51. Bridget Cherry and Nicolaus Pevsner "BOE. London 2: South. P369.]</p>



## PART 1

<b>KENNINGTON ROAD SE1 (East Side)</b>			
Old Town Hall (Church of England Children's Society)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204363	5023	TQ 3178 5/546	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Formerly Lambeth Town Hall. Classical building of mid C19. Two storeys and sunk basement, nine windows in three three-bay sections. Slightly projecting centre section has tetrastyle Tuscan portico in antis with modillion cornice and pediment. Greyish brick. Outer sections have paired pilaster bay divisions with entablatures to each floor; and arcaded ground floor. Sash windows with margin lights, mostly in moulded architraves; console bracketed cornices and pediments on ground floor centre. Modern central door in surround of vermiculate rusticated columns, Doric entablature and thin (later?) pediment in an outer surround also with vermiculate rustications. Wrought iron area railings (some replaced) with bulb finials. Building is T-shaped and central back projection has bowed end. Listing NGR: TQ3125178108</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>			
Vauxhall Manor School Annexe			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204364	5023	TQ 3178 5/547	TQ 3177 8/547
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>1897-1900 dated on left pediment. Late and romantic example of LCC Board School architecture. Large, symmetrical building of seven sections. Central five-bay block of three tall storeys under hipped tiled roof having three tiny lucarne-like ariane stone. Flanking six-storey staircase towers have ogee pyramidal roofs rising to terrace with octagonal drum and tall dome with spike and vane. Intermediate five-storey sections, with four closely-set windows under scalloped parapet, lead to pedimented end pavilions of three tall storeys with ornamental panelling in tympanum.</p> <p>Listing NGR: TQ3127377998</p>

## PART 1

<b>KENNINGTON ROAD SE11 (East Side)</b>		
Wall, gate piers, railings and gate to front garden of No 121		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204349	5023	TQ 3179 3/530
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	13/04/1978

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 wall fronting north of garden and running diagonally to north corner of house; stock brick. Three taller stone-coped piers support rocket-headed railings and matching gate. Listing NGR: TQ3125579024</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
Nos 104 to 112 (even)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204365	5023	TQ 3178 5/548	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C18 terrace with alterations. Each three storeys, attic and basement, three windows. Stock brick with stone-coped parapet. Slated gambrel roof with dormers. Basement and ground floor stuccoed with rustications. Gauged flat brick arches to sash windows, lost bars. Four and three steps to doors of four fielded and two beaded panels with plain fanlight in square moulded architrave with wreaths in frieze and cornice over. Included partly for group value. Listing NGR: TQ3121178961</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>		
Nos 114 and 116		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204366	5023	TQ 3178 5/549
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	19/10/1951

## PART 2

<b>DESCRIPTION</b>
<p>Mid C18, each three storeys, attic and basement, three windows. No 116 on larger scale. Tiled and slated gambrel roofs with dormers. Stock brick with stone coped parapet. Gauged flat brick arches to sash windows, No 114 with glazing bars. No 116 has long first floor casements with transoms giving on to patterned cast iron balcony. No 114 has steps to six-panel door with cornice head and radial fanlight in narrow moulded architrave with key block; enriched open pedimented Roman Doric door case. Similar door case to No 116 which has interlaced glazing bars to fanlight over four-panel door. Listing NGR: TQ3121278956</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>		
Nos 118 and 120		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204367	5023	TQ 3178 5/550
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	19/10/1951

## PART 2

<b>DESCRIPTION</b>
<p>C18 pair with alterations. Three storeys, attic and sunk basement, No 118 three windows, the left ones blocked. Stuccoed with modillion cornice and parapet. Slated gambrel roof with one dormer each. Sash windows and a C19 canted bay on ground floor. Six-panel door, top glazed, in moulded architrave with open pedimented enriched hood on brackets. No 120 has two-storey wood oriel canted bay through first and second floors, with balustrade wood parapet and sash window in moulded wood architraves. Six-panel door, top glazed, in narrow moulded architrave with bracketed cornice hood. Listing NGR: TQ3121478943</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>		
No 122		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204368	5023	TQ 3178 5/551
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	19/10/1951

## PART 2

<b>DESCRIPTION</b>
<p>Large scale late C18 building of three storeys, attic and basement, three windows. Stucco, slated mansard with dormers behind parapet over cornice. Sash windows with glazing bars except for first floor canted oriel, with three long casements in moulded architraves, modillion cornice and hipped lead roof, with delicate cast iron balcony around. Five steps to top glazed six-panel door in moulded architrave with bracketed cornice hood. Basement altered for garage. Listing NGR: TQ3121578932</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>		
No 124-126-128		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204369	5023	TQ 3178 5/552
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	19/10/1951

## PART 2

<b>DESCRIPTION</b>
<p>C18, three storeys, and basement; three, three and two windows. No 124 has slated mansard with dormers. Stock brick with stone-coped parapet. Gauged flat brick arches to sash windows. No 124 has projecting canted first floor stuccoed oriel with modillion cornice and hipped slated roof, three sash windows in moulded architraves. Six-panel doors top glazed. No 124 has narrow oblong fanlight and cornice hood on carved brackets. No 126 has open pedimented hood and No 128 a plain fanlight under round gauged brick arch.</p> <p>Listing NGR: TQ3121578918</p>



## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>		
Nos 162, 164 and 166		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204370	5023	TQ 3178 5/555
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Early-mid C19 near-symmetrical composition. Tall central block of four storeys and basement, five windows has lower, flanking houses of three and two windows. Stock brick with stucco entablature and blocking course to centre block, parapets before slated mansards with dormers at sides. Basement and ground floor stuccoed with banded rustication. No 166 stucco fronted. Sash windows mostly with glazing bars in moulded architraves, round arched and with bracketed sills to ground floor of No 164. Six steps to central prostyle Tuscan porch. No 162 has 6-panel door with fanlight in architrave. No 166 has door altered to window.</p> <p>Listing NGR: TQ3121178765</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
Nos 320 and 322			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204373	5023	TQ 3178 5/559	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 pair, each three storeys and basement, two windows. Stock brick with stone coped parapet. Gauged brick arches to sash windows with glazing bars, round-headed on ground floor in round-arched recesses. Narrower recesses hold six-panel doors, with cornice head and patterned fanlight, up seven steps with cast iron handrails, No 320 replaced. Listing NGR: TQ3119878134</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>		
Nos 324A and 326		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204374	5023	TQ 3178 5/560
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 pair, each three storeys, attic and basement, two windows. Stock brick, pedimented front with stone cornices and first floor sill band; stuccoed basement. Lunette with patterned glazing in pediment. Gauged brick arches, round on ground floor, to sash windows with glazing bars (some replaced). Eight steps to six-panel doors with cornice head and patterned radial fanlight. Door case of fluted pilasters, console bracketed cornices and open pediment.</p> <p>Listing NGR: TQ3119178114</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
No 328			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204375	5023	TQ 3178 5/561	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 house of three storeys and basement, two windows. Stock brick with stone-coped parapet. Stuccoed with incised lines. Gauged flat brick arches to sash windows. Narrow C19 four-panel door with rectangular fanlight. Included for group value. Listing NGR: TQ3119878110</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
No 346			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204376	5023	TQ 3178 5/562	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Probably late C18. Three storeys, attic and basement, two windows. Stucco with incised lines and parapet front. Tiled mansard with dormers. C19 casements, those on first floor long to balcony with ornamental railings. Ground floor rustications form voussoirs to sash windows and round arched doorway. Modern door between engaged columns with feather capitals. Mutuled cornice head and fanlight with vertical bars. Eleven steps. Included for group value. Listing NGR: TQ3120278051</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
No 348			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204377	5023	TQ 3178 5/563	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Late C18 house of four storeys and basement, two windows, and one-storey entrance link built up to full height in later C19. Stock brick with renewed parapet coping. Stuccoed ground floor with banded rustication. Gauged brick window arches. First floor long C19 casements to ornamental cast iron balconies. Other windows modern casements or replaced sashes. Twelve steps to new door with ornamental head, patterned radial fanlight and female mask on keystone. Original handrails. Included for group value.</p> <p>Listing NGR: TQ3120278051</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
Nos 350 and 352			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204378	5023	TQ 3178 5/564	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II*	GV	19/10/1951	

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 handsome pair, each three storeys, attic and basement, three windows with slightly projecting one storey entrance link, that of No 325 built up later on a recessed plane. Stock brick, stucco entablature and blocking course. Slated mansard with round-arched dormers. Gauged brick arches to windows; sashes with glazing bars, round-headed on ground floor with radial glazing; long first floor casements to full width ornamental cast iron balcony. Arcaded ground and first floors, latter with paterae in tympana and rams' heads on impost; ground floor with keystone masks and guilloche moulded impost band. Doors of six: panels have paired engaged fluted columns with feathering capitals. No 350 has patterned radial fanlight. Tall flights of steps. Listing NGR: TQ3117878050</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
No 354			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204379	5023	TQ 3178 5/565	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	19/10/1951	

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 house of three storeys, attic and basement, two windows, with one storey right entrance bay shortly afterwards raised to full height on recessed plane. Stock brick with stone-coped parapet and slated mansard with modern but seemly dormer. Finely gauged brick arches, flat on second floor to wide, replaced sashes with glazing bars, round on first floor to similar windows with plaster fan-patterned tympana and patterned cast iron guards. Elliptical ground floor arches with plain plastered tympana; and segmental basement arches holding modern garage doors. In set back right bay, flat arches to original sashes with bars. Twelve steps to six-panel door between paired engaged fluted columns with feathery capitals. Mask on keystone and guilloche moulding on impost blocks of gauged brick round arch over fanlight. Listing NGR: TQ3115678066</p>



## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
No 356			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204380	5023	TQ 3178 5/566	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	19/10/1951	

## PART 2

<b>DESCRIPTION</b>
<p>Early C19 house of three storeys, attic and basement, three windows. Stock brick with stucco frieze, cornice and blocking course (with later brick coping). Slated mansard with round arched dormers. Gauged brick window arches, round on ground floor. First and ground floor arcaded, the latter with impost string. Ground floor windows sashes with radial glazing, first floor long casements to cast iron balconies, plain sashes above. Twelve steps, with original walls and railings, to six panel door with feathered capitals to attached fluted columns, plain head and fanlight.</p> <p>Listing NGR: TQ3116278040</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
Nos 362, 364 and 366			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204381	5023	TQ 3177 8/567	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II	GV	27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Symmetrical early C19 terrace, each three storeys, attic and basement; two:three; two windows. Central house projects slightly. Slated mansard with dormers, No 366 with added pediment. Gauged flat brick arches to sash windows, mostly with glazing bars. No 362, ground floor windows have patterned cast iron guards; ten steps to four-panel door in stuccoed door case of fluted pilasters, plain architrave and key block with mask. No 364 has modern door in similar surround. No 366 has one storey and basement left addition with modern door in similar surround; and projecting left bay. Height of modern steps to door terrace. Included for group value in spite of alterations. Listing NGR: TQ311877992</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
Church of St Anselm			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204371	5023	TQ 3178 5/556	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		19/10/1951	

## PART 2

<b>DESCRIPTION</b>
<p>1932-33 by Adshead and Ramsey, built on foundations of earlier church whose building was interrupted by World War I. Simple Early Christian basilica of stock brick with corbelled eaves cornice of shaped bricks and pantiled roof. Low, pent aisles, not full length. Chamfered, round-arched window openings. Church is disoriented with large east protal having carving of St Anselm with lion and lamb in tympanum. Tall, barn-like interior has timber king post roof trusses, gallery over entrance, baldacchino over altar. Arcade capitals of cushion shape and carved with plants and animals by A H Gerrard. Carved font by Derrick Frith. Listing NGR: TQ3119578334</p>

## PART 1

<b>KENNINGTON ROAD SE11 (West Side)</b>			
St Anselm's Vicarage			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204372	5023	TQ 3178 5/557	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>1913 by Adshead and Ramsey. Two-storey, seven-window stock brick building in Regency style. Low pitched hipped slate roof of dark pantiles with very deep eaves soffit immediately above first floor windows. Gauged flat brick arches to ground floor sash windows with glazing bars. Listing NGR: TQ3120278319</p>

## PART 1

<b>KENNINGTON ROAD, SE 11</b>		
K6 Telephone Kiosk,outside 3 Wincott Parade		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
431929	5023	TQ 3178 5/1023
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II	GV	05/06/1987

## PART 2

<b>DESCRIPTION</b>
Telephone kiosk. Type K6. Designed 1935 by Sir Giles Gilbert Scott. Made by various contractors. Cast iron. Square kiosk with domed roof. Unperforated crowns to top panels and margin glazing to windows and door. Listing NGR: TQ3125178803

## PART 1

<b>KINGS AVENUE SW4 (East Side)</b>			
Nos 89 and 89A (Hyde House)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204387	5023	TQ 3074 22/575	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/08/1976	

## PART 2

<b>DESCRIPTION</b>
<p>1856 by Charles Aldin. Villa of three storeys and basement, three windows. Stock brick with stucco frieze and cornice. Moderate pitch to slated roof with end chimney walls. Sash windows, mostly with glazing bars, in moulded architraves, with panelled pilasters, frieze and console bracketed cornice to ground and first floor windows, also bracketed sills. Nine steps, with side walls, to enclosed classical porch. Four-panel door with side lights and rectangular fanlight. Ground floor has vermiculate stucco quoins. First floor string. Later south extension. Listing NGR: TQ3007974357</p>

## PART 1

<b>KINGS AVENUE SW4 (East Side)</b>			
No 89B			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204388	5023	TQ 3074 22/576	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/08/1976	

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19 detached coach house of two storeys, two windows with projecting one storey glass-roofed carriage section. Pyramidal slated roof. Yellow stock brick part whitewashed. Sash windows with glazing bars. Listing NGR: TQ3007974370</p>

## PART 1

<b>KINGS AVENUE SW4 (East Side)</b>		
Horse trough north-west of No 1		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204386	5023	TQ 3074 22/574
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
Long trough of pinkish grey granite, circa 1900. Gabled north end with small semi-circular basin. Erected by Metropolitan Drinking Fountain and Cattle Trough Association. Listing NGR: TQ3009274896



## PART 1

<b>KINGS AVENUE SW4 (West Side)</b>			
No 4			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204382	5023	TQ 3074 22/568	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>Villa of circa 1860 probably built by Henry Harris. Three storeys and basement, three windows. Stock brick sides, greyish brick front. Moderately low pitched hipped slate roof has end chimneys and eaves soffit with large dentils above stuccoed frieze. Upper windows sashes with glazed bars in moulded architraves; cornices and bracketed sills on first floor. Casement windows on banded, stuccoed ground floor with rusticated quoins. Ten steps to four-panel door, with side lights and rectangular fanlight, in projecting classical porch with round-arched openings.</p> <p>Listing NGR: TQ3006074955</p>

## PART 1

<b>KINGS AVENUE SW4 (West Side)</b>		
No 6		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204383		TQ 3074 22/569
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19 villa of three storeys and basement, three windows. Stock brick sides, greyish brick front. Moderately low pitched hipped slated roof with end chimneys and an eaves soffit with large dentils above stuccoed frieze. Banded stuccoed ground floor with rusticated quoins. Sash windows with glazing bars in moulded architraves; cornices and bracketed sills on first floor. Seven steps to projecting porch with round central and side arches, the latter in recesses whose key blocks support cornice and blocking course. Panelled pilasters and impost blocks to arches.</p> <p>Listing NGR: TQ3005974935</p>

## PART 1

<b>KINGS AVENUE SW4 (West Side)</b>		
No 14		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204384	5023	TQ3074 22/571
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Mid C19 villa of three storeys and basement, three windows. Stock brick sides, greyish brick front. Moderately low pitched hipped slated roof with end chimneys and an eaves soffit with large dentils above stuccoed frieze. Banded stuccoed ground floor with rusticated quoins. Sash windows with glazing bars in moulded architraves; cornices and bracketed sills on first floor. Seven steps to projecting porch with round central and side arches, the latter in recesses whose key blocks support cornice and blocking course. Panelled pilasters and impost blocks to arches.</p> <p>Listing NGR: TQ3012274492</p>

## PART 1

<b>KINGS AVENUE SW4 (West Side)</b>		
Victoria House at No 84		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204385	5023	TQ 2974 21/573
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>1840 by Thomas Cubitt and once leased to Sir William Napier. Somewhat altered. Villa of three storeys and basement, three windows. Stucco with incised lines. Low pitched slated roof with end chimney walls and central raised, glazed small attic. Eaves soffit with modillions. Moulded architraves to windows, some sashes, some casements. Cornices and segmental pediments to first floor windows. Projecting canted bay at ground floor left. Central projecting enclosed porch with pilasters, entablature and balustrade. Half glazed door with side lights and large rectangular fanlight. Five steps whose side walls hold tall cast iron lamp holders. Formerly the house of music-hall star Vesta Victoria. Listing NGR: TQ2996674218</p>

## PART 1

<b>KNATCHBULL ROAD SE5 (East Side)</b>		
Church of St James		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204390		TQ 3176 13/578
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1979

## PART 2

<b>DESCRIPTION</b>
<p>1869-70 by George Low, the gift of J L Minet, benefactor to the neighbourhood. Kentish rag stone rubble with Bath stone dressings in late C13 style. High pitched slated roofs. Nave with west portal, aisles, gabled transepts and projecting north and south chapels, lower apsidal chancel and north tower with stone spire. Five-bay nave and tall, wide arch to chancel. Good stained glass by Ward and Hughes, representing apostles and parables, in aisles and transepts. Arch braced timber roof, braces resting on corbels above arcade arches. Doors with good ironwork.</p> <p>Listing NGR: TQ3180476534</p>

## PART 1

<b>KNATCHBULL ROAD SE5 (West Side)</b>		
Longfield Hall		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204389	5023	TQ 3176 13/577
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1979

## PART 2

<b>DESCRIPTION</b>
<p>1889 dated on panel in left gable. T-shaped building with straight back range and taller wide projecting central leg with semi-circular front end under a half corical roof. Stock brick with red brick and stone dressings, tiled roofs. One storey and high basement. Around drumare 5 three-light wood mullioned and transomed windows divided by tapered buttresses with sloped stone steps. Entablature at eaves level has brick dentil cornice. Entrance porches in the angles approached by curved flights of steps with handrail over stock brick retaining wall with stone coping. Half-octagonal right end to back range. Listing NGR: TQ3171076464</p>

## PART 1

<b>KNIGHTS HILL</b>			
Nos 14-16 (Old Library Building)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
432908		TQ 3172	963-/31/10008
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II		15/02/1993	

## PART 2

<b>DESCRIPTION</b>
<p>Adult education institute, formerly library. Designed in 1887 by R J Smith and opened in 1888. Flemish style. Red brick in Flemish bond with Ham Hillstone dressings and some bands of roughcast. Mansard tiled roof and brick and stone chimneystacks. 2 storeys and attics, 10 windows. Right hand portion is a symmetrical composition with 3 hipped dormers with casements. Central 2 storey loggia with elaborate swans neck pediment above with date in carved brick 1887. 1st floor has 7 stone terms with busts of Homer, Sir Walter Scott, Chaucer, Shakespeare, Milton, Dickens and Socrates and inscription in panels below reading "Free Public Library". Ground floor has 4 partly fluted and partly plain columns with Venetian-type capitals. Wings have 2 casements set in arches on 1st floors with terracotta cherubs above and aprons below. Ground floor has 1 4-light mullioned and transomed arched window. Plinth. Left-hand side is in matching style. 1 hipped dormer with casement, 3 casements to 1st floor, 5-light window to ground floor and left side door case. This is one of the earliest free public libraries in central London.</p> <p>Listing NGR: TQ3187772136</p>

## PART 1

<b>KNIGHTS HILL SE27 (West Side)</b>			
Church of St Luke (formerly listed under Norwood High Street)			
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>	
204391	5023	TQ 3172 31/579	
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>	
II*		27/03/1981	

## PART 2

<b>DESCRIPTION</b>
<p>1822 by Bedford. Pale yellow brick with ashlar dressings, Welsh slate roof. Greek revival style. Orientated north-south; at north end a hexastyle Corinthian portico with pediment. Slim square tower above has clock in base; bell stage with Doric screens and corner antifixae; open 'tower of winds' above with shallow dome and-cross finial. Six-bay returns have first floor windows only, round arched in simple architraves. Interior has tall, four-bay classical arcade. Low, barrelled nave roof; raised chancel. Carved screen of 1879 to Lady Chapel. Ornate hood over altar. Two good modern windows in aisles.</p> <p>Listing NGR: TQ3193272074</p>



## PART 1

<b>KNIGHTS HILL SE27 (West Side)</b>		
Wall and gate piers around churchyard of St Luke		
<b>LBSUID</b>	<b>LOCAL AUTH'TY REF.</b>	<b>SERIAL NUMBER OF LIST ENTRY</b>
204392	5023	TQ 3172 31/580
<b>GRADE</b>	<b>GROUP VALUE NOTES</b>	<b>DATE DESIGNATED</b>
II		27/03/1981

## PART 2

<b>DESCRIPTION</b>
<p>Circa 1822. Dwarf wall of Portland stone around half-elliptical churchyard; cross retaining wall. At intervals, eighteen pedimented stone piers with incised key patterns. At north end, perimeter wall becomes a retaining wall. Listing NGR: TQ3190872094</p>