


Report - North

Presentation map




©PHE - © Crown copyright and database rights 2014, Ordnance Survey 100016969 - ONS © Crown Copyright 2014




Report - North

Population

Population by age group, 2012 Selection



Population by age group, 2012 England



Source: ONS © Crown copyright 2013

Source: ONS © Crown copyright 2013


Population by age group, 2012, numbers

Ages	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
aged under 16	11,340	//	55,584	10,130,226
aged 16-24	9,780	//	36,011	6,262,440
aged 25-64	46,152	//	194,868	28,044,555
aged 65-84	4,910	//	20,802	7,836,002
aged 85 and over	626	//	2,935	1,220,506
Total	72,808	//	310,200	53,493,729

Source: ONS © Crown copyright 2013

www.localhealth.org.uk

Age pyramid for selection: male and female numbers per five-year age group, 2012



Source: ONS © Crown Copyright 2013



Report - North

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers


Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Black and Minority Ethnic (BME) Population	29,841	//	130,061	7,731,314
Population whose ethnicity is not 'White UK'	44,157	//	184,836	10,733,220
Number who cannot speak English well or at all	2,874	//	10,768	843,845


Source: ONS Census

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Black and Minority Ethnic (BME) Population (%)	42	//	42.9	14.6
Population whose ethnicity is not 'White UK' (%)	62.1	//	61	20.2
Cannot speak English well or at all (%)	4.2	//	3.7	1.7

Source: ONS Census





Source: ONS Census

www.localhealth.org.uk



Report - North

Deprivation

Index of Deprivation, 2010, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
People living in means tested benefit households	14,537	//	60,357	7,597,605
Children living in income deprived households	4,498	//	19,233	2,115,946
People aged 60+ living in pension credit households	2,675	//	10,927	2,094,588


Source: CLG © Copyright 2010

Index of Deprivation, 2010, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Income Deprivation (%)	21.7	//	21.3	14.7
Child Poverty (%)	42.8	//	39.3	21.8
Older People in Deprivation (%)	36	//	35.2	18.1

Source: CLG © Copyright 2010

Index of Deprivation, 2010, %, Selection (comparing to England average)



Report - North

Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Low birth weight births, 2008-2012	401	//	1,878	251,444
A good level of development at age 5, 2011/12	415	//	2,028	393,090
Achieving 5A*-C (incl. Eng & Maths) GCSE, 2011/12	298	//	1,315	330,011
Claiming job seekers allowance, 2012/13*	2,736	//	11,809	1,287,226
Claiming job seekers allowance for > 1 year, 2012/13*	915	//	4,041	344,895


Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, values (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Low birth weight births (%)	8.6	//	7.7	7.4
Child development at age 5 (%)	62.9	//	62.7	63.5
GCSE achievement (5A*-C inc. Eng & Maths) (%)	62.7	//	59.9	58.8
Unemployment (JSA claimants) (%)	4.9	//	5.1	3.8
Long term unemployment (JSA) (rate/1,000)	16.4	//	17.5	10.1

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE www.localhealth.org.uk

^{*} Monthly average



Report - North

Health and Care

Health and care indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
In very bad health	852	//	3,557	660,749
In bad or very bad health	3,377	//	14,286	2,911,195
Having a long term illness or disability	9,073	//	38,671	9,352,586
Provide unpaid care for 1 or more hours per week	4,646	//	20,477	5,430,016
Provide unpaid care for 50 or more hours per week	1,014	//	4,270	1,256,237


Source: ONS Census

Health and care indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
General health very bad (%)	1.2	//	1.2	1.2
General health bad or very bad (%)	4.8	//	4.7	5.5
Limiting long term illness or disability (%)	12.8	//	12.8	17.6
Provides 1 hour or more unpaid care per week (%)	6.5	//	6.8	10.2
Provides 50 hours or more unpaid care per week (%)	1.4	//	1.4	2.4

Source: ONS Census

Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census www.localhealth.org.uk



Report - North

Housing and Living Environment

Housing and living environment indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Households with central heating	30,692	//	125,766	21,468,807
Overcrowded households (at least 1 room too few)	9,630	//	34,343	1,928,596
Pensioners living alone	2,269	//	9,208	2,725,596


Source: ONS Census

Housing and living environment indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Households with central heating (%)	96.2	//	96.7	97.3
Overcrowding (%)	30.2	//	26.4	8.7
Pensioners living alone (%)	42.4	//	39.7	31.5

Source: ONS Census

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Report - North

Children's Weight

Children's weight indicators, 2010/11-2012/13, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Obese children (reception year)	226	//	1,007	159,197
Children with excess weight (reception year)	499	//	2,088	380,678
Obese children (year 6)	427	//	1,743	281,160
Children with excess weight (year 6)	688	//	2,847	494,931


Source: Public Health England & HSCIC © 2010-2014

Children's weight indicators, 2010/11-2012/13, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Obese children (reception year)	12.2	//	11.6	9.4
Children with excess weight (reception year)	26.9	//	24	22.5
Obese children (year 6)	26.5	//	24.2	19.1
Children with excess weight (year 6)	42.7	//	39.5	33.5

Source: Public Health England & HSCIC © 2010-2014

Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC @ 2010-2014 www.localhealth.org.uk

Report - North

Children's health care activity

Children's health care activity indicators, numbers (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Admissions for injuries in under 5s, 2008/9-12/13	207	//	1,106	228,389
Emergency admissions in under 5s, 2010/11-12/13	1,025	//	5,360	1,500,752
A&E attendances in under 5s, 2010/11-12/13	8,777	//	38,973	5,096,445
Admissions for injury in under 18s, 2008/9-12/13	636	//	2,997	666,952


Source: Public Health England, HSCIC © Copyright 2015

Children's health care activity indicators, values (estimated from MSOA level data)


indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Admissions for injuries in under 5s (rate per 10,000)	104.2	//	107.3	139.6
Emergency admissions in under 5s (rate per 1000)	85.9	//	85.7	150
A&E attendances in under 5s (rate per 1000)	734.8	//	623.2	509.5
Admissions for injury in under 18s (rate per 100,000)	1,009.5	//	1,003.1	1,180.9

Source: Public Health England, HSCIC © Copyright 2015

Children's health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2015 www.localhealth.org.uk



Report - North

Adults' lifestyle

Adults' lifestyle indicators, 2006-08, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Obese adults	11,249	//	46,074	9,983,436
Binge drinking adults	9,921	//	38,797	8,290,798
Healthy eating adults	20,206	//	84,225	11,907,157


Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, 2006-08, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Obese adults (%)	20.9	//	20.5	24.1
Binge drinking adults (%)	18.5	//	17.3	20
Healthy eating adults (%)	37.6	//	37.5	28.7

Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010

Report - North

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Emergency hospital admissions for all causes	31,276	//	120,879	25,623,623
Emergency hospital admissions for CHD*	498	//	2,208	706,513
Emergency hospital admissions for stroke	348	//	1,470	368,284
Emergency hospital admissions for MI*	123	//	654	312,427
Emergency hospital admissions for COPD*	602	//	2,141	552,386

Source: Public Health England, HSCIC © Copyright 2014


* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Emergency hospital admissions for all causes	111.4	//	99.6	100
Emergency hospital admissions for CHD	93.4	//	96.8	100
Emergency hospital admissions for stroke	136.7	//	134	100
Emergency hospital admissions for MI	53.4	//	66.1	100
Emergency hospital admissions for COPD	156.5	//	130.9	100

Source: Public Health England, HSCIC © Copyright 2014

Emergency Hospital admissions, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014 www.localhealth.org.uk



Report - North

Cancer incidence

Cancer incidence, numbers, 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All cancer	1,115	//	4,737	1,335,034
Breast cancer	142	//	697	203,220
Colorectal cancer	115	//	464	165,022
Lung cancer	163	//	617	170,117
Prostate cancer	174	//	765	171,557


Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Cancer incidence, Standardised Incidence Ratios (SIRs), 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All cancer	107.6	//	106.7	100
Breast cancer	84.3	//	94	100
Colorectal cancer	97.6	//	92.7	100
Lung cancer	138.6	//	123.3	100
Prostate cancer	148.1	//	154.4	100

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Cancer incidence, SIRs, 2007-2011, Selection (comparing to England average)



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Report - North

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Hospital stays for self harm	299	//	1,141	515,548
Hospital stays for alcohol related harm	5,475	//	21,757	5,560,988
Emergency admissions for hip fracture aged 65+	183	//	718	310,435
Elective hospital admissions for hip replacement	135	//	622	302,413
Elective hospital admissions for knee replacement	212	//	858	342,546


Source: Public Health England, HSCIC © Copyright 2014

Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Hospital stays for self harm	36.2	//	33.4	100
Hospital stays for alcohol related harm	100	//	93.9	100
Emergency admissions for hip fracture aged 65+	102.6	//	90.1	100
Elective hospital admissions for hip replacement	69.7	//	65.8	100
Elective hospital admissions for knee replacement	88.4	//	84.6	100

Source: Public Health England, HSCIC © Copyright 2014

Hospital admissions - harm and injury, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014 www.localhealth.org.uk

Report - North

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All causes	1,679	//	7,245	2,315,661
All cancer	497	//	2,059	651,010
All circulatory disease	458	//	1,948	686,806
Coronary heart disease	219	//	884	320,773
Stroke	94	//	451	178,673
Respiratory diseases	234	//	951	327,787


Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All causes	109.8	//	107.1	100
All cancer	112.1	//	107	100
All circulatory disease	107.6	//	103	100
Coronary heart disease	108.2	//	99.2	100
Stroke	88	//	94.3	100
Respiratory diseases	119.2	//	108.5	100

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - all ages, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014

Report - North

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All causes, aged under 65	511	//	2,058	391,312
All causes, aged under 75	802	//	3,324	762,945
All cancer, aged under 75	274	//	1,187	310,211
All circulatory disease, aged under 75	177	//	701	176,217
Coronary heart disease, aged under 75	85	//	333	99,575


Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All causes, aged under 65	123.2	//	115	100
All causes, aged under 75	121.3	//	117.2	100
All cancer, aged under 75	111.9	//	113.6	100
All circulatory disease, aged under 75	125.6	//	116.5	100
Coronary heart disease, aged under 75	109.6	//	101.1	100

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - premature mortality, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014 www.localhealth.org.uk

Report - North

Modelled prevalence of young people who smoke

Modelled prevalence of young people who smoke, numbers

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
People aged 11-15 who occasionally smoke	35	//	162	45,767
People aged 15 who occasionally smoke	21	//	88	25,778
People aged 16-17 who occasionally smoke	62	//	249	77,463
People aged 11-15 who regularly smoke	83	//	388	98,888
People aged 15 who regularly smoke	52	//	218	56,916
People aged 16-17 who regularly smoke	177	//	703	194,373

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton