


Report - South East

### **Presentation map**




©PHE - © Crown copyright and database rights 2014, Ordnance Survey 100016969 - ONS © Crown Copyright 2014




### Report - South East

## **Population**

Population by age group, 2012 Selection



Population by age group, 2012 England



Source: ONS © Crown copyright 2013


Source: ONS © Crown copyright 2013


#### Population by age group, 2012, numbers

Ages	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
aged under 16	26,278	//	55,584	10,130,226
aged 16-24	15,724	//	36,011	6,262,440
aged 25-64	85,579	//	194,868	28,044,555
aged 65-84	8,815	//	20,802	7,836,002
aged 85 and over	1,175	//	2,935	1,220,506
Total	137,571	//	310,200	53,493,729

Source: ONS © Crown copyright 2013







Source: ONS © Crown Copyright 2013

www.localhealth.org.uk



### Report - South East

## **Ethnicity & Language**

### Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Black and Minority Ethnic (BME) Population	62,959	//	130,061	7,731,314
Population whose ethnicity is not 'White UK'	84,261	//	184,836	10,733,220
Number who cannot speak English well or at all	4,372	//	10,768	843,845


Source: ONS Census

#### Ethnicity & Language indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Black and Minority Ethnic (BME) Population (%)	46.7	//	42.9	14.6
Population whose ethnicity is not 'White UK' (%)	62.5	//	61	20.2
Cannot speak English well or at all (%)	3.4	//	3.7	1.7

Source: ONS Census





Source: ONS Census

www.localhealth.org.uk

3/16



### Report - South East

## **Deprivation**

### Index of Deprivation, 2010, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
People living in means tested benefit households	29,433	//	60,357	7,597,605
Children living in income deprived households	9,599	//	19,233	2,115,946
People aged 60+ living in pension credit households	4,996	//	10,927	2,094,588


Source: CLG © Copyright 2010

#### Index of Deprivation, 2010, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Income Deprivation (%)	23.3	//	21.3	14.7
Child Poverty (%)	41.1	//	39.3	21.8
Older People in Deprivation (%)	37.3	//	35.2	18.1

Source: CLG © Copyright 2010

### Index of Deprivation, 2010, %, Selection (comparing to England average)



Report - South East

## **Child Development, Education and Employment**

### Child development, education and employment indicators, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Low birth weight births, 2008-2012	888	//	1,878	251,444
A good level of development at age 5, 2011/12	950	//	2,028	393,090
Achieving 5A*-C (incl. Eng & Maths) GCSE, 2011/12	632	//	1,315	330,011
Claiming job seekers allowance, 2012/13*	5,897	//	11,809	1,287,226
Claiming job seekers allowance for > 1 year, 2012/13*	2,044	//	4,041	344,895


Source: Public Health England, ONS, NOMIS, DfE

#### Child development, education and employment indicators, values (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Low birth weight births (%)	7.9	//	7.7	7.4
Child development at age 5 (%)	62.5	//	62.7	63.5
GCSE achievement (5A*-C inc. Eng & Maths) (%)	57.5	//	59.9	58.8
Unemployment (JSA claimants) (%)	5.8	//	5.1	3.8
Long term unemployment (JSA) (rate/1,000)	20.2	//	17.5	10.1

Source: Public Health England, ONS, NOMIS, DfE

#### Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE www.localhealth.org.uk

<sup>\*</sup> Monthly average



### Report - South East

### **Health and Care**

### Health and care indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
In very bad health	1,727	//	3,557	660,749
In bad or very bad health	6,776	//	14,286	2,911,195
Having a long term illness or disability	17,738	//	38,671	9,352,586
Provide unpaid care for 1 or more hours per week	9,433	//	20,477	5,430,016
Provide unpaid care for 50 or more hours per week	2,021	//	4,270	1,256,237


Source: ONS Census

#### Health and care indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
General health very bad (%)	1.3	//	1.2	1.2
General health bad or very bad (%)	5	//	4.7	5.5
Limiting long term illness or disability (%)	13.2	//	12.8	17.6
Provides 1 hour or more unpaid care per week (%)	7	//	6.8	10.2
Provides 50 hours or more unpaid care per week (%)	1.5	//	1.4	2.4

Source: ONS Census

### Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census www.localhealth.org.uk



#### Report - South East

## **Housing and Living Environment**

### Housing and living environment indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Households with central heating	55,974	//	125,766	21,468,807
Overcrowded households (at least 1 room too few)	15,098	//	34,343	1,928,596
Pensioners living alone	3,990	//	9,208	2,725,596


Source: ONS Census

#### Housing and living environment indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Households with central heating (%)	97.2	//	96.7	97.3
Overcrowding (%)	26.2	//	26.4	8.7
Pensioners living alone (%)	40.5	//	39.7	31.5

Source: ONS Census

### Housing and living environment indicators, 2011, %, Selection (comparing to England average)



www.localhealth.org.uk Page 7

7/16

### Report - South East

## **Children's Weight**

### Children's weight indicators, 2010/11-2012/13, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Obese children (reception year)	502	//	1,007	159,197
Children with excess weight (reception year)	1,019	//	2,088	380,678
Obese children (year 6)	846	//	1,743	281,160
Children with excess weight (year 6)	1,377	//	2,847	494,931


Source: Public Health England & HSCIC © 2010-2014

#### Children's weight indicators, 2010/11-2012/13, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Obese children (reception year)	12.1	//	11.6	9.4
Children with excess weight (reception year)	24.5	//	24	22.5
Obese children (year 6)	24.2	//	24.2	19.1
Children with excess weight (year 6)	39.3	//	39.5	33.5

Source: Public Health England & HSCIC © 2010-2014

### Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC @ 2010-2014 www.localhealth.org.uk

Report - South East

## Children's health care activity

### Children's health care activity indicators, numbers (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Admissions for injuries in under 5s, 2008/9-12/13	535	//	1,106	228,389
Emergency admissions in under 5s, 2010/11-12/13	2,706	//	5,360	1,500,752
A&E attendances in under 5s, 2010/11-12/13	18,064	//	38,973	5,096,445
Admissions for injury in under 18s, 2008/9-12/13	1,448	//	2,997	666,952


Source: Public Health England, HSCIC © Copyright 2015

#### Children's health care activity indicators, values (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Admissions for injuries in under 5s (rate per 10,000)	111.8	//	107.3	139.6
Emergency admissions in under 5s (rate per 1000)	93.8	//	85.7	150
A&E attendances in under 5s (rate per 1000)	626	//	623.2	509.5
Admissions for injury in under 18s (rate per 100,000)	1,016.1	//	1,003.1	1,180.9

Source: Public Health England, HSCIC © Copyright 2015

### Children's health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2015 www.localhealth.org.uk



Report - South East

## Adults' lifestyle

### Adults' lifestyle indicators, 2006-08, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Obese adults	21,767	//	46,074	9,983,436
Binge drinking adults	16,115	//	38,797	8,290,798
Healthy eating adults	36,300	//	84,225	11,907,157


Source: Public Health England © Copyright 2010

### Adults' lifestyle indicators, 2006-08, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Obese adults (%)	21.9	//	20.5	24.1
Binge drinking adults (%)	16.2	//	17.3	20
Healthy eating adults (%)	36.5	//	37.5	28.7

Source: Public Health England © Copyright 2010

### Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010

www.localhealth.org.uk Page 10

10/16

Report - South East

## **Emergency hospital admissions**

### Emergency Hospital Admissions, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Emergency hospital admissions for all causes	53,309	//	120,879	25,623,623
Emergency hospital admissions for CHD*	1,029	//	2,208	706,513
Emergency hospital admissions for stroke	675	//	1,470	368,284
Emergency hospital admissions for MI*	336	//	654	312,427
Emergency hospital admissions for COPD*	943	//	2,141	552,386

Source: Public Health England, HSCIC © Copyright 2014


\* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Emergency hospital admissions for all causes	99	//	99.6	100
Emergency hospital admissions for CHD	102.8	//	96.8	100
Emergency hospital admissions for stroke	141.8	//	134	100
Emergency hospital admissions for MI	77.7	//	66.1	100
Emergency hospital admissions for COPD	132.6	//	130.9	100

Source: Public Health England, HSCIC © Copyright 2014

### Emergency Hospital admissions, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014 www.localhealth.org.uk



Report - South East

### **Cancer incidence**

### Cancer incidence, numbers, 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All cancer	2,093	//	4,737	1,335,034
Breast cancer	314	//	697	203,220
Colorectal cancer	193	//	464	165,022
Lung cancer	276	//	617	170,117
Prostate cancer	358	//	765	171,557


Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

#### Cancer incidence, Standardised Incidence Ratios (SIRs), 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All cancer	107.1	//	106.7	100
Breast cancer	94.1	//	94	100
Colorectal cancer	88.5	//	92.7	100
Lung cancer	126.2	//	123.3	100
Prostate cancer	166.5	//	154.4	100

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

#### Cancer incidence, SIRs, 2007-2011, Selection (comparing to England average)



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Report - South East

## Hospital admissions - harm and injury

### Hospital admissions - harm and injury, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Hospital stays for self harm	502	//	1,141	515,548
Hospital stays for alcohol related harm	9,489	//	21,757	5,560,988
Emergency admissions for hip fracture aged 65+	244	//	718	310,435
Elective hospital admissions for hip replacement	269	//	622	302,413
Elective hospital admissions for knee replacement	354	//	858	342,546


Source: Public Health England, HSCIC © Copyright 2014

#### Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
Hospital stays for self harm	33.1	//	33.4	100
Hospital stays for alcohol related harm	92.9	//	93.9	100
Emergency admissions for hip fracture aged 65+	81.2	//	90.1	100
Elective hospital admissions for hip replacement	69.3	//	65.8	100
Elective hospital admissions for knee replacement	80.2	//	84.6	100

Source: Public Health England, HSCIC © Copyright 2014

#### Hospital admissions - harm and injury, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014 www.localhealth.org.uk

Report - South East

## Mortality and causes of death - all ages

### Causes of deaths - all ages, numbers, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All causes	3,085	//	7,245	2,315,661
All cancer	892	//	2,059	651,010
All circulatory disease	797	//	1,948	686,806
Coronary heart disease	365	//	884	320,773
Stroke	175	//	451	178,673
Respiratory diseases	397	//	951	327,787


Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All causes	106.5	//	107.1	100
All cancer	107.6	//	107	100
All circulatory disease	99.2	//	103	100
Coronary heart disease	96.1	//	99.2	100
Stroke	86.7	//	94.3	100
Respiratory diseases	107	//	108.5	100

Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - all ages, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014

Report - South East

## Mortality and causes of death - premature mortality

### Causes of deaths - premature mortality, numbers, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All causes, aged under 65	949	//	2,058	391,312
All causes, aged under 75	1,493	//	3,324	762,945
All cancer, aged under 75	527	//	1,187	310,211
All circulatory disease, aged under 75	301	//	701	176,217
Coronary heart disease, aged under 75	142	//	333	99,575


Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
All causes, aged under 65	118.9	//	115	100
All causes, aged under 75	119.4	//	117.2	100
All cancer, aged under 75	114.8	//	113.6	100
All circulatory disease, aged under 75	113.7	//	116.5	100
Coronary heart disease, aged under 75	98.3	//	101.1	100

Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - premature mortality, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014 www.localhealth.org.uk

Report - South East

## Modelled prevalence of young people who smoke

### Modelled prevalence of young people who smoke, numbers

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Lambeth)	England
People aged 11-15 who occasionally smoke	82	//	162	45,767
People aged 15 who occasionally smoke	39	//	88	25,778
People aged 16-17 who occasionally smoke	116	//	249	77,463
People aged 11-15 who regularly smoke	182	//	388	98,888
People aged 15 who regularly smoke	88	//	218	56,916
People aged 16-17 who regularly smoke	302	//	703	194,373

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton